

## Skladové zásoby ATD k 24.08.2017

Název sortimentu	Stav MJ	Popis
Sloupec1	Sloupec2 Sloupec3	Sloupec4
10705	200 ks	Lumberg konektor 5PIN kulatý DIN do panelu / 737130
13205	200 ks	Lumberg konektor 5Pin kulatý DIN na kabel / 737062
44086	3 ks	
44090	75 ks	
44093	475 ks	trafo Myrra, 1.5VA, 230V, 2x12V
44194	40 ks	
44198	50 ks	trafo Myrra, 3.2VA, výstup 24V
44200	40 ks	
44231	32 ks	
44310	5 ks	
44441	1988 ks	Myrra 22VA,2x15V
44831	3 ks	1.8 W;23VAC,9V
47121	50 ks	Myrra AC/DC modul do DPS 2,5W 3,3V
47151	100 ks	
07-2063	8 ks	
74010	200 ks	Transformátor MYRRA E16 12W 5/12V; SPQ=1260pcs
74087	1430 ks	Trafo EF20 - 24W - 2x12V
07-2143	55 ks	07-BCD kódovací přepínač ELMA
06-2434	1 ks	
07-3133	5 ks	Kódovací přepínač 07-BCD 0-9, AL 11.5mm
07-3134	4 ks	ELMA BCD Coded Switch
07-3173	15 ks	rotační přepínač ELMA
744222	200 ks	
07-4053	40 ks	Přepínač ELMA Type 07 Horizontal Endless HEX shortig
07-4143	100 ks	07-BCD kódovací přepínač ELMA; SPQ: 50 ks
07-4153	35 ks	přepínač HEX90 Elma
06-4264	24 ks	
7427012	9 ks	
7427015	40 ks	SPQ: 30 pcs
7427246	18 ks	
7427247	5 ks	WE Ferrite Clamp On Cores STAR-FLAT Snap 25MHz 72Ohm
7461059	100 ks	Bushes with Pin-Plate Circumferences M6
31007102	19 ks	
31007105	50 ks	
31007107	50 ks	
31027102	30 ks	
31027105	50 ks	
31027107	50 ks	
31267104	912 ks	
74270011	280 ks	
74270055	4 ks	
74271111	7 ks	
74279218	560 ks	
74454168	20 ks	
74478605	120 ks	
74478611	120 ks	
74478612	220 ks	
74478614	450 ks	
74478615	120 ks	
74478617	500 ks	
74479022	380 ks	
512910025	3000 ks	
742792032	100 ks	SMD EMI ferrite bead 0805 Z@100MHz=400Ohm IR=300mA, RDC=0,3
744032121	3214 ks	
744777920	50 ks	
744786110	550 ks	
744786112	180 ks	
744786115	300 ks	
744786121	120 ks	
744786131	150 ks	
1002210002	180 ks	Porcelain connector
9670094715	50 ks	
35721220051	100 ks	
61202020621	1110 ks	
0031.8265	5200 ks	Schurter; Fuse holder 10A 500VDC Clip Holder, SPQ=400pcs
020-3420	50 ks	
020-4420	200 ks	ELMA přístrojový knoflík - 21mm, černá
021-2125	75 ks	
021-4425	3 ks	ELMA Knob 21mm with line, for 6mm shaft, black matt
023-3320	10 ks	ELMA knoflík křídlový černá
023-3420	50 ks	
040-3620	75 ks	ELMA krytka knoflíku s linkou černá plast
040-4020	100 ks	Cap for Collet Knob black diam 21mm glossy w/o line
04-1133	5 ks	ELMA switch type 04 1x24pos shorting wire eyelets 25mm shaft
04-1133-20	5 ks	ELMA switch type 04 1x24pos shorting pins for PCB 25mm shaft
07-3153-300004	49 ks	
09 05 048 3202 HARTING	60 ks	
09-0013-64	175 ks	
09-0014-60	160 ks	ELMA LED holders single components bicolor SPQ: 80pcs
09-0018-64	313 ks	
090-10063	1066 ks	faston 0.8x6.3mm Sn

09H0010-62	243 ks	ELMA LED-HALTER E01 RD 3mm 2mA
09H0010-63	130 ks	LED D01 RD/RD 3mm 2mA
09H0011-62	786 ks	ELMA LED-HALTER E01 GN 3mm 2mA
09H0011-63	110 ks	LED 2x1 ELMA
09H0012-62	267 ks	
09H0012-63	50 ks	ELMA LED-HALTER D01 YW/YW 3mm 2mA
09H0016-63	165 ks	ELMA LED-HALTER D01 RD/GN 3mm 2mA
09H0017-63	362 ks	ELMA LED-HALTER D01 YW/GN 3mm 2mA, SPQ: 80 ks
09H0042-63	100 ks	LED D04 YW/YW 3mm 2mA; SPQ: 20 ks
0C97043602	4 ks	
0C97086000	4 ks	
1.0/2.3-1121-TGN	400 ks	
10052825-101LF	200 ks	Conn AirMax VS HDR 72 POS 2mm Press Fit RA Thru-Hole
10118241-001RLF	500 ks	
1020800002 SMD Connector Metalluk	10 ks	Metalluk SMD Low Profile Terminal Block 2Pin
102-68014-01	360 ks	EPT DIN B/3 20F ab 3,2 mm Tcom press II SPQ: 45/765
102-79066-01	332 ks	
102-90066	84 ks	EPT B/2 32F ab 13 mm WW II; SPQ: 21 pcs
103-40034	360 ks	EPT DIN 41612 konektor C64Pin M ac 3,0 mm
103-40064	621 ks	konektor EPT DIN C96M abc 3 mm DS 90°II, balení:25/400
103-41875	100 ks	EPT DIN C96M abc 3mm DS90°II A11,12,13,14,15 pre-mat SPQ25ks
103-60064	18 ks	EPT DIN41612 C96M abc 3,4mm Tcom press 90-II SPQ:25/400
103-80014	54 ks	EPT DIN 41612 C/3 20M ac 3mm DS 90° II, SPQ:54pcs
103-90014	87 ks	EPT, DIN C/2 32abc 3 mm DS 90 II, balení: 54/540 ks
108-40064	58 ks	EPT DIN 41612 E48F ace 4 mm DS II (1x1) SPQ:17pcs
108-60084	170 ks	EPT DIN E48F ace 4,6 mm Tcom II (0,6x0,6) SPQ:17/204pcs
109-40194	133 ks	EPT DIN 41612 F21M zdb 3mm DS 90°II SB ZDB6,8,14,16,22,24,30
10MQ040	100 ks	
11_BNT-50-2-1/103_NE	11 ks	
11_N-75-7-16/133_NE	2 ks	
11_SMA-50-2-15/111_NE	142 ks	
11_SMA-50-3-65/119_NH	100 ks	
11_SMA-50-3-7/111_NE	4 ks	
11_SMA-50-5-2/199_NE	5 ks	
110-66215	234 ks	EPT DIN41612 F21F-fl zbd 12,2mm Tcom II SB6,8,14,16,22,24,30
113-40061	10 ks	EPT DIN H15M zd 3 mm DS 90°Ag ohne VE SPQ:19pcs/266pcs
115-15701	100 ks	EPT DIN41612 Shroud PCB:3,2mm Post L:13mm
116-40074	216 ks	EPT DIN 41612 R96F abc 3 mm DS 90°II SPQ:27/432ks
1-164713-0	50 ks	
12_BNC-75-0-1/133_NE	50 ks	
1296.1004	15 ks	
158-480	55 ks	
16_N-50-4-14/133_NE	100 ks	
16_SMA-50-2-105/111_NH	10 ks	
16_SMA-50-3-105/111_NH	36 ks	
16_TNC-50-3-111/133_NE	18 ks	
1752120 Země původu: Německo, 85369010	1000 ks	SPTA 1/4-3.5, 4 poles, pitch=3.5mm
18H170	74 ks	
18H172	130 ks	
18H174	536 ks	
18H180	200 ks	
18H2004	370 ks	distanční sloupek kovový M2,5x10
18H2456	100 ks	
18H2466	600 ks	
18H2476	300 ks	
18H270	100 ks	
18H272	600 ks	
18H276	1712 ks	
18H282	965 ks	
18H3720	680 ks	
18H3722	440 ks	
18H3724	780 ks	
18H3726	445 ks	
1BZ1G06CLL; Mocco	75 ks	Chyba:509
1N4148WS-V	3000 ks	
21.33A	2 ks	
22_BNC-50-0-5/133_NE	30 ks	
22_BNO-0-0-1/133_NE	5 ks	
22_QLA-01-0-2/112_NE QLA-01	20 ks	Straight bulkhead receptacle jack
22_SMA-50-0-10/111_NE	3 ks	
22_SMC-50-0-2/111_NE SMC - female	10 ks	Straight bulkhead receptacle jack
23_SMA-50-0-167/199_NE	63 ks	
24-0009-0900	13 ks	Nut for SCI 1201-006
24-0010-0460	103 ks	Apitech Washer for SCI 2130-007
24-0058-0220	103 ks	
243-22320-15 HM konektor	4 ks	EPT HM 2.0 M Type B22 154Pin II abcde Pin B zř Pin C
243-5525-5/1	3 ks	EPT HM2.0 Shroud A25
243-5622-5/1	3 ks	EPT HM2.0 Shroud B22
244-8014	2000 ks	EPT female coding key HM, brillia
24683741B-11	100 ks	
25_N-50-2-2/133_NE	8 ks	
272-30000-31	58 ks	
28A0350-0B2	741 ks	naklapávací ferit Laird Technologies
28A0434-0A2	227 ks	naklapávací ferit Laird Technologies
28A0593-0A2	246 ks	

28A0807-0A2	14 ks	naklapávací ferit Laird Technologies
28A2024-0A2	82 ks	naklapávací ferit Laird Technologies
28A2025-0A2	2160 ks	Laird Snap-in EMI Core 30MHz-1GHz 6,45mm 1300 black SPQ:240
28A2029-0A2	120 ks	naklapávací ferit Laird Technologies
28A3851-0A2	135 ks	naklapávací ferit Laird Technologies
28A4155-0A2	74 ks	naklapávací ferit Laird Technologies
28A5776-0A2	33 ks	
28R0480-000	1700 ks	
28R1476-100	980 ks	Laird Ferrite Cable Cores Rib,Slid,BB,CLNO EMI Ferrite Core
28S2011-0P0	36 ks	
28S2023-0M0	168 ks	Laird Ferrite Cable Cores 250Ohms 100MHz 26.67mm Inside Slot
2EDGKL-5,08-12P-14-00AH	170 ks	
2EDGKM-5.08-04P-14-00A(H)	100 ks	
2EDGVM-5.08-04P-14-00A(H)	100 ks	
304-40064-01	100 ks	EPT DIN 41612 konektor C96F-FET abc 3,4mm II SPQ: 25/300ks
304-40064-02	750 ks	konektor DIN C96F-FET abc 4,6 mm DS II balení:25/300
304-60054-02	200 ks	EPT DIN41612 C64F-FET ac Tcon 4,6mm II SPQ: 25/300
304-60064-02	200 ks	EPT DIN41612 C96F-FET abc 4,6 mm Tcom II SPQ: 25/300pcs
304-79066-03	273 ks	EPT DIN41612 C/2 48F-FET abc 13 mm Tcom II m. SPQ:21/357
304-80014-01	60 ks	EPT Din 41612 C/3 20F-FET ac 3,4 mm DS II SPQ:45pcs
304-80064-01	45 ks	EPT DIN 41612 C/3 30F-FET abc 3,4 mm DS II SPQ:45/765pcs
304-90064-01	225 ks	EPT C/2 48F-FET abc 3,4 mm DS II, balení:45ks / 765 ks
304-90064-02	45 ks	DIN 41 612; C/2 48F-FET abc 4,6mm DS II
33_PC7-716-50-1/--3_NE	5 ks	
33_SMA-Q50-0-4/1-9_NE	5 ks	
33_SMB-SMA-50-1/111_UE	10 ks	
3314G-1-102E	140 ks	only Bourns
36-08-C-TGN	390 ks	
36-08-D-TGN	390 ks	
4007-35	14 ks	
4007-36	26 ks	MOQ = 10 ks
4124-41	8,8 ks	ELMA Hex nut M10 x 0.75 for TYPE 04 / 01
430160-504 HT8, 12, F2, 4040, TA, RT	10 ks	
503B	49 ks	
51S107-803N5	40 ks	Rosenberger vidlice BNC
5404-32	50 ks	Elma Allen key M2,5x4mm for K1 Knobs
5443-01	100 ks	ELMA Round Head Screw Head 6 M4x20mm Torx 20
5470-21	350 ks	ELMA Countersunk screw M2.5x8 Torx
54-790-023	45 ks	
56-507-013-TI	68 ks	Spectrum Controls Filtered Connector 1000pF
5760-23	200 ks	Elma O-ring 8x0,8mm for E33 front panel sealing IP68
5KP150A	310 ks	
5KP30A	230 ks	
61-044	22 ks	Elma Card guide 160mm PARTS MADE OF LATAMID 66 H2 G / 25 V0)
61-201	6 ks	Elma press-fit bush M2,5
61-260	150 ks	ELMA Earthing screw M4x10
61-267	60 ks	ELMA Milled edge captive screw M2.5x11,3
61-286	150 ks	ELMA Special screws M2,5x8
62_BNC-0-0-2/--H; 22540667	100 ks	
63-089	1 ks	
71251-060/0800	500 ks	konektory PREH
71251-080/0800	1000 ks	
71430-070/0800	300 ks	
71430-250/0802	1000 ks	konektor PREH
71506-080/0800	700 ks	
716-3101-TSS	97 ks	Schmid-M HF connector Panel Mount Male Receptacle 7/16 4Hole
716-605-TSS	16 ks	Schmid-M 7/16 Adaptor Plug-Jack
74_Z-0-0-24	1 ks	
742 700 97	1 ks	
742 701 19	7 ks	EMI Toroidal Ferrite, Z@25MHz 1 turn = 45 Ohm, cable 13,3mm
81-095	500 ks	ELMA handle Ergo. HS top with ESD-pin black
81-096	463 ks	ELMA handle Ergo, HS bottom with ESD-pin black
82_SMB-S50-0-18/111_NH	2 ks	
8313-2105	50 ks	
85_MCX_50-0-16/111_NH	67 ks	Huber+Suhner
85_MCX-50-0-16/111_NE	8 ks	
962-17202-1	16 ks	
962-17322-1	11 ks	
962-60206-10	190 ks	VarPol FI 10,6mm Tcom 2x20pol II P104
962-60206-12	91 ks	VarPol FL 12,2 mm Tcom 2x32pol II, PC104, SPQ: 38/532pcs
962-60326-12	71 ks	VarPol FL 12,2 mm Tcom 2x32pol II, PC104, SPQ:38/532pcs
972-36013-21	58 ks	EPT VarPol SL 2x36 ger. Y=13,0/X=3,4 II/Sn (0,6x0,6)
ACS1361X450PG1	30 ks	Itelcond Capacitor 1360uF ACS 450V DC
AISM-2220-2R2K	1000 ks	
AMP 167501-2	450 ks	
AMP 66740-6	450 ks	
AMP 749639-1	30 ks	
AMP1241152-3	300 ks	konektor, SMD
APEM 5256WWA	15 ks	
AVR80 Gel 30ml	9 ks	
AVR80-05L	20 L	AB Chimie Conformal Acrylic Coating, package 5L can
AVR80BA Gel 30ml	9 ks	
AVR80BA-01L	1 L	AB Chimie Acrylic Conformal Coating, non toxic, 1 liter
AVR80BA-05L	45 L	AB Chimie Acrylic Conformal Coating, non toxic, package: 5 L
AVR80BA-400	16 ks	AB Chimie Removable acrylic paint, Aérosol 400ml net

B25838K8105K001	8 ks	
B25838K8225K001	18 ks	
B32524Q1336K000	1600 ks	
B32529C0105K000	300 ks	
B32562J1475K000	10 ks	
B32652A0104K000	1500 ks	
B32672L8332J289	4680 ks	3n3 5x10.5x18 5% 2000VDC 700VAC, ammo pack
B32922C3104K000	2000 ks	
B41851A8477M000	2000 ks	
B41851A9227M000	1500 ks	
B41858C9477M000	370 ks	470 uF, 100V DC
B43305A9108M000	120 ks	TDK / EPCOS capacitor Snap-in 1000 UF 400 V SPQ:60pcs
B44020B0006B076	93 ks	Epcos izolační podložka z hostalenu, prům. 76,9mm
B57164K0103J000	50 ks	
B57164K0104K000	1000 ks	
B57164K0220K000	500 ks	
B57401V2472J062	3000 ks	Epcos NTC Thermistor 0805 4K7 J62 B-3650
B57621C0103J062	1000 ks	
B59860C0120A070	4000 ks	TDK / EPC pozistor 1,5A 15Ohms
B59860C0120A070 Schmid-M	1352 ks	pozistor, 265V, 15 Ohm, Schmid-M
B59880C0120A070 Schmid-M	2236 ks	
B59995C0120A070	500 ks	PTC30V13
B62152A0004X030	530 ks	Double-Aperture Core, N30, AL10000
B62152A0007X001	1200 ks	
B62152A0007X030	1800 ks	
B64290L0038X830	10 ks	
B64290L0044X830	1800 ks	
B64290L0615X038 Země původu: ČR, 85049011	600 ks	R25.3x14.8x15.0 AL16100 T38
B64290L0618X027	471 ks	
B64290L0659X830	40 ks	
B64290P0037X830	1400 ks	R 6.30x3.80x2.50 N30 AL1090
B65525J0160A087	4611 PA	SPQ: 625ks na platě bez mezery + 625ks na platě s mezerou
B65526A2000X000	704 ks	
B65526B10101001	860 ks	
B65542B0000T001	10 ks	
B65549E0004X023	10 ks	
B65611T1000A048	50 PA	P36x22 N48 AL1000 mezera 0,22mm sety
B65612B0000T001	1550 ks	EPCOS kostra P36x22
B65615B0001X000	430 ks	držák se třmenem EPCOS
B65651D0250A048	125 ks	
B65652B0000T001	90 ks	
B65806B2203X000	300 ks	TDK spona RM5 s kontaktem do PCB
B65806J2204X000	2000 ks	TDK spona RM5
B65808E1508T001	400 ks	
B65811J0000R087	10 PA	Delivery mode = sets
B65811J0250A087 Země původu: Česká republika, 85049011	800 ks	EPCOS FERRITKERN RM8 N87
B65812A2203X000	250 ks	upevňovací spona jádra RM8, EPCOS, po ks
B65812A5000X000	1090 ks	
B65812C1512T001	40 ks	kostra RM8, 1 komora, 12 pinů, EPCOS
B65812N1008D001	115 ks	
B65812N1012D001	100 ks	kostra RM8, 1 komora, 12 pinů, SPQ-1 plato 100ks
B65813J0100A087 Země původu: Česká republika, 85049011	1200 ks	FERRITKERN RM10 N87
B65814B2203X000 Země původu: Čína, 85049018	471 ks	Clamp RM10 with ground terminal
B65814C1512T001	138 ks	
B65814N1008D001	100 ks	kostra RM10, 8 pin
B65815E0063A087 Země původu: Česká republika, 85049011	2700 ks	FERRITKERN RM12 N87
B65816A2002X000 Země původu: Čína, 85049018	10 ks	Clamp RM12 with ground terminal
B65816N1012D001 Země původu: Čína, 85049018	876 ks	Coil former RM12 Sumikon PM 9630
B65839A0000R067	100 ks	
B65839A0000Y038	24 ks	
B65840B1006D002	1600 ks	kostra EP7, 2 komory, 6 pinů
B65878E1012D001	55 ks	
B65942B0000T001	100 ks	
B66206A2010X000	330 ks	
B66206B1110T001	16 ks	TDK/EPCOS Bobbin E20/10/6 10Pin Horizontal
B66229G0000X127	480 ks	jádro E 32/16/9 N27 AL2100 bez mezery kusy
B66229G1000X127	480 ks	jádro E32/16/9 N27 AL145 mezera 1mm na kuse
B66230A1114T001	480 ks	
B66230A2010X000	940 ks	Třmen EPCOS
B66288F2204X000 Země původu: Německo, 85049018	2000 ks	
B66305G0000X127	1380 ks	
B66305G0000X187	220 ks	
B66307G0060X187	2000 ks	Jádro E16/8/5, Epcos
B66307G0100X187	400 ks	
B66311G0000X127	588 ks	
B66317G0000X127	360 ks	
B66325G0000X127	104 ks	
B66337G0000X127	170 ks	
B66359A1013T001	600 ks	
B66359S2000X000	1400 ks	Epcos Yoke ETD29
B66359W1013T001	575 ks	
B66359X1014T001 (ETD29)	1900 ks	EPCOS ETD 29 COIL FORMER RNITE FR 530
B66361G0000X187	530 ks	TDK/EPCOS ETD34/17/11 jádro N87OL SPQ: 60/300pcs
B66362A2000X000	450 ks	ETD 34/17/11 spona
B66362B1014T001 (ETD34)	2600 ks	EPCOS COIL FORMER VALOX 420 SEO ETD34



B66362W1014T001	250 ks	Epcos kostra ETD 34
B66363G0000X127	4005 ks	EPCOS Core ETD39 N27
B66363G0000X187	8 ks	EPCOS Core ETD39 N87
B66363G1000X187	250 ks	ETD 39/20/13 N87 AL196 1mm mezera NA KUS, po kusech
B66364A2000X000	3082 ks	spona ETD 39/20/13
B66364B1016T001 (ETD39)	2700 ks	Epcos kostra ETD39, horizontální, 16pin
B66364W1016T001	248 ks	kostra ETD39/20/13 16 pins 1 komora
B66365G0000X127	432 ks	EPCOS/TKD jádro ETD 44/22/15 N27 SPQ:36/144 ks
B66365G0000X187	80 ks	core ETD 44/22/15 N87 AL 3500 ungapped
B66366A2000X000	52 ks	yoke ETD 44/22/15
B66366B1018T001 (ETD44)	2050 ks	kostra ETD44/22/15 18 pinů, 1S
B66366W1018T001	100 ks	kostra ETD44/22/15 18 pinů, 1S
B66368B1020T001	120 ks	
B66397G0000X127	440 ks	Epcos ferit ETD 59/31/22 N27 g=0 SPQ: 40pcs
B66397G0000X187	4940 ks	core ETD 59/31/22 N87 AL=5300nH, ungapped, po kusech
B66397G1000X187	160 ks	
B66398A2000X000	4040 ks	yoke ETD 59/31/22; SPQ: 40 ks
B66398W1024T001 (ETD59)	2720 ks	Kostra ETD 59 2x12PIN horizontal SPQ 40 ks
B66421G0000X187	810 ks	jádro EFD 25/13/9 N87 AL 2000, bez mezery,po ks, SPQ: 130 ks
B66421U0315K187	650 ks	jádro EFD25/13/9 N87 Al=315nH mezera 0,22mm na kus,po kusech
B66484G0000X197 Země původu: Česká republika, 85049011	7 ks	jádro ER 25/6/15 N97 AL4100 bez mezery
B72210S0131K101	21000 ks	EPCOS METALOXIDEVARISTOR SIOV S10K130
B72210S0250K101	2400 ks	varistor RM 10mm
B72210S0251K101	240 ks	varistor S10K250
B72210S0271K101, RoHS compatible, Země původu: Čína	22000 ks	EPCOS METALOXIDEVARISTOR SIOV S10K275, SPQ:500ks
B72214S0151K101	15000 ks	Varistor 150VAC/200VDC 4500A 240V Radial Automotive Bulk
B72214S0271K101, RoHS compatible, Země původu: Čína	1860 ks	EPCOS METALOXIDEVARISTOR SIOV S14K275
B72220P3271K101	3000 ks	Varistor S20K275E3K1 275V 1W RM10 D=21,5mm
B72220S0110K101	1000 ks	EPCOS varistor SIOV S20K11
B72220S0250K101	1400 ks	
B72260B0151K001	4 ks	
B72280B0461K000	4 ks	
B72520T0250K062	230 ks	
B72650M0140K072	10 ks	
B72660M0271K072 Země původu: Čína, 85332900	2000 ks	Chyba:509
B72660M0300K072 Země původu: Čína, 85332900	1000 ks	Chyba:509
B72660M0600K072 Země původu: Čína, 85332900	2000 ks	Chyba:509
B78108T1104K000	6700 ks	
B78108T1473K000	150 ks	
B78476A8065A003	350 ks	
B82144A2223K000	1480 ks	
B82422T1104K000	550 ks	
B82422T1334J000	4590 ks	
B82422T1681J000	2000 ks	EPCOS Inductor SMD/1210 0,68uH +-5%
B82432A1103K000	2395 ks	
B82432A1223K000	1080 ks	
B82432A1473K000	2337 ks	tlumivka 47uH SMD 1812-A
B82432T1473K000	1500 ks	47u 0,38A 1812 EPCOS RoHS
B82432T1682K000	2500 ks	
B82462G4102M000	25 ks	
B82721A2202N001	20 ks	
B82721K2401N021	10 ks	Tlumivka EPCOS 2X27MH 0.4A
B82723A2102N001	50 ks	
B82724B2202N001	220 ks	
B82724B2602N001	45 ks	
B82724J2142N001	10 ks	
B82725A2103N001	70 ks	
B82731M2901A030	3 ks	Epcos D-Core Choke 2x15mH 0,9A
B82732R2112B030	640 ks	
B82790C0225N265	365 ks	Epcos Tlumivka 2x2,2mH SMD
B82801C2245A200	200 ks	
B85321A2205A750	4 ks	
B88069X0880S102	60 ks	
B88069X4231S102	50 ks	
B88069X4640C102	200 ks	
BAP50-03	21000 ks	SPQ = 3000pcs/reel
BAV199DW SOT363	21000 ks	
BBY57-05W	3000 ks	
BC639	5000 ks	
BC807-25	3000 ks	
BC817-40	3000 ks	NXP 15+ SOT23
BC847B	18000 ks	
BC847C, tranzistor NPN 0.1A/45V/0.3W, SOT23	18000 ks	3000pcs/reel
BC857C, 115	12000 ks	
BC869-16	70000 ks	
BCR198W, SOT323	3000 ks	
BCX54-16	1000 ks	
BD139-16	1200 ks	tranzistor NPN 80V; 1; 5A; 12,5W; TO126
BFR93AE6327	3000 ks	Transistor NPN RF 15V/50mA/6GHz SOT23, RENESAS
BFS25A	3000 ks	
BL-3R 150 PMT3.04 &LF	270 ks	bleskojistka
BLM21AJ401SN1D, EMI Filter SMD 0805 400 Ohms	28000 ks	
BLM21PG331SN1D	12000 ks	Murata Ferrite Chip Beads 330Ohms 1,5A 0805, SPQ:4000ks
BMA-7110-TGG	86 ks	
BMA-7115-TGG	76 ks	

BMI-S-103	690 ks	Laird Board level shielding one piece 26x26x5,08mm SPQ:300pc
BMI-S-202-C	8810 ks	emc stínící rámečky 16,5x16,5x3,6 mm, SPQ: 700ks
BMI-S-202-F	4200 ks	emc stínící rámečky 16,5x16,5x3,6 mm, SPQ: 700ks
BMI-S-203-C	15927 ks	emc stínící rámečky 26,21x26,21x5,08 mm, SPQ: 300ks
BMI-S-203-F	6000 ks	emc stínící rámečky 26,21x26,21x5,08 mm, SPQ: 300ks
BMI-S-204-C	2025 ks	emc stínící rámečky 32x30x6 mm
BMI-S-204-F	2025 ks	Laird stínící rámečky
BMI-S-205-C	695 ks	emc stínící rámečky 25,40x38,10x6 mm, SPQ: 250ks
BMI-S-205-F	700 ks	emc stínící rámečky 25,40x38,10x6 mm, SPQ: 250ks
BMI-S-206-C	300 ks	emc stínící rámečky 36,5x33,6,5x5,21 mm, SPQ: 300ks
BMI-S-206-F	291 ks	emc stínící rámečky 36,5x33,6,5x5,21 mm, SPQ: 300ks
BMI-S-207-C	490 ks	emc stínící rámečky 44,37x44,37x9,57 mm, SPQ: 120ks
BMI-S-207-F	480 ks	emc stínící rámečky 44,37x44,37x9,57 mm, SPQ: 120ks
BMI-S-209-C	2275 ks	emc stínící rámečky 44,3702x44,37x9,75 mm, SPQ: 200ks
BMI-S-209-F	3775 ks	emc stínící rámečky 44,37x44,37x9,75 mm, SPQ: 400ks
BMI-S-210-C	56 ks	emc stínící rámečky 44,02x30,5x3,00 mm
BMI-S-210-F	62 ks	emc stínící rámečky 44,02x30,5x3,00 mm
BMI-S-230-C	40 ks	emc stínící rámečky 50,8x28,10x5,08 mm, SPQ: 250ks/reel
BMI-S-230-F	40 ks	emc stínící rámečky 50,8x28,10x5,08 mm, SPQ: 250ks/reel
BNC-1101A-DGN	123 ks	
BNC-1101-DGN	1000 ks	
BNC-1104-DGN	88 ks	Schmid-M BNC Straight Plug Crimp RG174
BNC-1112A-DGN	150 ks	
BNC-1112-DGN	200 ks	BNC Right Angle Plug Crimp for Cable: 58 RG/U
BNC-1112-DGN	340 ks	BNC Right Angle Plug Crimp for RG58, 58A, 14A
BNC-1112-TGN	70 ks	
BNC-3201-TGN	45 ks	BNC Square Flange Jack Receptacle
BNC-34-N	600 ks	BNC krytka s řetízkem, SPQ:200ks
BNC-5202-DGN	18 ks	BNC Straight PCB Mount Jack Receptacle
BNC-5203S-TGN	1000 ks	Straight PCB Mount Jack Receptacle
BNC75-1101-TGN	78 ks	BNC Straight Male Crimp 75ohm for TZC75024
BNC75-4201-TGN	397 ks	BNC Bulkhead Jack Mount Receptacle 75ohm
BV11365	51 ks	ELMA přepínač 01-1184-7019000
BV61124-011	15 ks	Längsprofil 66-138 spez., Länge 10TE,roh
BV61124-012	15 ks	Federleistenprofil 66-140 spez., Länge 10TE, roh
BZX85CJ1201.3W	500 ks	
C08T111LT	21 ks	Přepínač otočný 1x16 PCB ELMA
CABLE RADOX TENUIS-TW 600V 4V0.5MM	1060 m	Huber+Suhner 12584138 (hnědá, modrá, černá, bílá)
Cap AYX-HR103M200DF1	5 ks	Capacitor 10 000uF, 200V, 76x147mm
CAP EL 220uF 25V 8x14mm THT 105°C	500 ks	
CAP TAJB226K016RNJ 22uF/16V	4000 ks	
CAP TANTAL 220M/10V TPS 'D' AVX, SMD	12197 ks	tantal.capacitor
Capacitor 0,68uF 100V MKT1826-468/015 Vishay	500 ks	
Capacitor El. 1000uF 16V 125°C RM5mm D12mmxL20mm	8890 ks	ekvivalent k B41896C4108M000
Capacitor El. 100uF 63V 105°C D8xL12 RM3,5	500 ks	
Capacitor El. 100uF 100V 85°C D10xL20 low ESR (LXV)	1000 ks	
Capacitor El. 2200uF 25V 105°C D13xL25 RM5	2090 ks	
Capacitor El. 220uF 16V 105°C D6xL12 ammo taped packaging	9000 ks	
Capacitor El. 220uF 35V 105°C D8xL12 RM3,5	500 ks	
Capacitor El. 22uF 450V 105°C D16xL22	5082 ks	
Capacitor El. 470uF 10V 105°C D6xL12	5086 ks	
Capacitor JFGC 0.22uF/1000V	1000 ks	
CB91102H100	1275 ks	
Ceramic Capacitors SMD 0.015uF 50V 10%X7R 0805	4000 ks	
Ceramic Capacitors SMD 0.033uF 50V 10%X7R 0805	4000 ks	
Ceramic Capacitors SMD 180pF 50V 0805 NPO 5%	4000 ks	
Ceramic Capacitors SMD 27pF 50V 0805 NPO 5%	4000 ks	
CF20401D0T0-LF	299 ks	
CG230L	30 ks	
CG2600L	1000 ks	only LITTELFUSE, Gas Discharge Tube 600V 10KA 8/20us 20A
CG75L	960 ks	Gas Discharge Tube 75V 20KA 8/20us 20A
CG90L	246 ks	Gas Discharge Tube 90V 20KA 8/20us 20A
CI3102S00R0	1000 ks	
CI3304P1H10	500 ks	Wafer Wire to board connector 4P 2,54mm 1Row Right Ribs+Latc
CI3304S0010	472 ks	Housing Wire to board connector 4P 2,54mm 1Row Ribs+Latch
CI33T021PE0	2108 ks	Crimp Contact for housing CI3304S0010
CJP288210F0	1000 ks	
CM5441Z161B-10	1782 ks	Laird EMI Common Mode Filter 160Ohm 100MHz 75A THT SPQ66/858
CMS06 M-FLAT	4000 ks	TE12L, Q, M;
CORE PEE22/6/16 PC95 G:0,09mm	16822 ks	PEE22/6/16 = EELP 22/6/16
CP3502P1HSP-LF	595 ks	Cvilux 2pin 3,0mm Power Connector Side Entry SMT Header Lock
CP3504P1HSP-LF	531 ks	Cvilux 4pin 3,0mm Power Connector Side Entry SMT Header Lock
CP3518P1HSP-LF	576 ks	Cvilux 18pin 3,0mm Power Connector Side Entry SMT Header Loc
CP3518S0010	500 ks	Cvilux 18pin 3,0mm Power Connector Female Receptacle UL94V-0
CP35TN21PES	12000 ks	Cvilux, CP35, crimp contact, for AWG 20-24
CPC5621A SSOP32	1880 ks	
Crystal Unit NXE 49/US SMD 19.6608 Mhz	6000 ks	quartz crystal 19.6608Mhz, +-30ppm, 20pF,
DA2304AL-B	3320 ks	Izolační transformátor 1:2 / 3,3-6V / SMT
DG142R-5.08-02P-14-00A(H)	500 ks	
DG142R-5.08-03P-14-00A(H)	200 ks	
DG142V-7.62-05P-14-00AH	400 ks	
DG243-5.0-02P-11-00AH	353 ks	
DG300R-5.0-02P-12-00A(H)	1790 ks	
DG300R-5.0-03P-12-00A(H)	2125 ks	
DG301R-5.0-02P-12-00A(H)	463 ks	

DG332J-5.0-10P-13-00A(H)	990 ks	
DG332K-5.0-02P-12-00A(H)	180 ks	
DG340R-3.81-02P-12-00A(H)	200 ks	
DG632-5.0-02P-14-00AH	500 ks	
DG632-5.0-03P-14-00AH	300 ks	
DLF-03-400N	888 ks	
DPPK9-K	150 ks	D-SUB Backsheel for 9Pin Plastic Cable: 3-11mm UNC4-40 black
DR127 100uH SMD / DR127-101-R / SPRH 1207-101	2000 ks	DR127-101-R
DVA 05L	20 L	thinner for AVR80, package: 5 liter
DVA BA 01L	1 L	AB Chimie Thinner for AVR80 BA, package 1L
DVA BA 05L	15 L	thinner for AVR80 BA, package 5 liter
E27-1-21201AL001	70 ks	ELma enkodér 16DET 8PPR THT Vert 6N 2,5Ncm No Thread D-Shape
E33-SN631-S01T	205 ks	Elma E33 Incremental Encoder SMT Push6N 16DET2,5Ncm IP68
E33-VT012-M01T	21 ks	Elma E33 Incremental Encoder Ver Push0N 32DET2,0Ncm IP68
E33-VT030-M10T	8 ks	Elma E33 Incremental Encoder Ver Push0N 16DET2,5Ncm IP60
E33-VT3A1-S18T	153 ks	ELMA Encoder THT,vert,32D,3N,M7,IP68-shaft
E37-CT6330-1	1 ks	Dual Encoder Hor l=16D/2.5N 8PPR O=16D/2.5N 8PPR M7;6N IP60
E37-VT6330-1	2 ks	Dual Encoder vert l=16D/2.5N 8PPR O=16D/2.5N 8PPR M7 6N IP60
E50-1212-000X	50 ks	ELMA Optischer Drehimpulsgeber Typ E50 24 Rast mit D/T
Eccosorb Absorber Materials - KIT	4 ks	FGM-U-40-SA,MCS-U-SA,GDS-U-SA,HR-10,AN-72-SA,LS-26-SA,LS-24P
ECCOSORB LS-26 1/8,, SA SHEET 61x61cm	10 ks	
EE16-6439(PNY-05015) REV1.2	6719 ks	ekvivalent k PNY-05015 110-390Vdc/5V@1,5A
EEFC1A102AP	2000 ks	Panasonic ELCO SMD 1000uF 10V 105°C 1000h LOW ESR 10x10,2
EH 629 PVC Naturel	1000 ks	B5 12.99.521
EH 633 PVC Naturel	1000 ks	B4 12.99.481
ELBAG CM 36/30 V	25 ks	
ELBAG: CM20N	40 ks	
EMC 0095090202	1000 ks	Laird (95-902) metal strip to fix finger stock
EMC 0097054217 Fingerstock 6.35x 2.08mm bright Tin L:406mm	80 ks	
EMC 0097056002 Fingerstock Gasket Twist 12,7x1,78mm Lenght:609mm unplated	135 ks	Laird stínění EMC Bright finish
EMC 0097056008 Fingerstock 12,7x4,2mm L:609mm	50 ks	TWT, STR, PSA.070x.500x.165x24
EMC 0097056902	45 ks	
EMC 0097-0655-02 Fingerstock Gaskets	100 ks	
EMC 161733-3 VPM,Round,PC,AIVO,12.7 x Dia 155mm	5 ks	
EMC 161733-4 VPM, Rec, PC, AIVO 6.35x60x197mm	8 ks	
EMC 4042AB51K07900	75 ks	GK, NiCu,NRS,PU,V0,Rec .118x.130x79.00in
EMC 4046AB22107900 FOF Rectangle 3x3mm L:2m	25 ks	
EMC 4046PA51H07900 FOF Rectangle 3x3mm L:2m	750 ks	
EMC 4049AB51K07900 FOF Square Shaped Gaskets 6.4 x 6.4 mm L:2,0m	37,75 ks	
EMC 4053AB51K07900 FOF D-Shape 3,2x3,2mm	90 ks	Laird pokovená textilie s pěnovým jádrem délka 2m
EMC 4071AB50101063 FOF Rectagle 1,6x7,6mm Length:27cm	264 ks	
EMC 4081AB51K07900 FOF Rectangle 9,5x12,7mm	39 ks	EMC těsnění, samolep., .375x.500x79.00in
EMC 4084AB51K08661 FOF Square 12,7x12,7 mm L:2,2m	125 ks	
EMC 4084PA51H07900 FOF Square 12,7x12,7mm L:2m	43,75 ks	
EMC 4096AB22107900 FOF Rectagle 2x7mm Length:2m	18 ks	
EMC 4105AB51K07900 FOF D-Shaped 9,5x12,7mm	19 ks	
EMC 4113AB22107900 FOF Rectangle 7 x 11 mm	55 ks	
EMC 4198AB22107900, C Fold Profile, 9.8x10.7	66 ks	1ks=79in=200.66cm
EMC 4208AB22101200 FOF Rectangle 1,0x10,0mm L:0,309m	9 ks	
EMC 4208AB51K03937 FOF Rectangle 1,0x10mm L:1m	18 ks	
EMC 4210AB51K07900 FOF Rectangle 3,0x9,0mm L:2m	124 m	
EMC 4210AB51S07900 FOF Rectangle 3,0x9,0mm L:2m	13 ks	GK;SnCu;NRS;PU;VO;Rec
EMC 4215AB51K07900 FOF Rectangle 1,0x7,00mm	42 ks	
EMC 4220AB22101200 FOF Rectangle 1,0x5,1mm L:0,3m	194 ks	
EMC 4245AB51K07900 FOF Rectangle 1,0x3,0mm L:2m	100 ks	
EMC 4320AF51H07900 FOF D-Shaped 1,3mmx3,6mm	48 ks	GK,NiCu,PTAFG,PU,V0,DSh .050x.140x79.00in
EMC 4522AB51K01122 FOF Square Shaped 4x4mm L: 285mm	2096 ks	
EMC 4522AB51K01910 FOF Square Shaped 4x4mm	4000 ks	
EMC 4609AB51K07900 FOF D-Shaped 4,6x10,2mm L:2,0m	88 ks	
EMC 4649PA51H07900 FOF 7x10mm L:2,0m	66 ks	Laird GK,NiCu,PTAFG,PU,V0,Rec .275x.394x39.37in
EMC 4692PA51H07900 FOF, D-Shaped 3.6x6.4	56 ks	
EMC 4695AB22107900 FOF Square Shaped 9,5x9,5mm L: 2m	1 ks	
EMC 4701PA51H07900 FOF Rectangle Shaped Gaskets 6.4 x 9.5 mm	11 ks	Laird Fabric over Foam Lenght:2m
EMC 4791AB51K07800 FOF Rectangle 4x10mm adhesive délka:1.98m	6,5 ks	
EMC 4791AB51K07900 FOF Rectangle 4x10mm adhesive délka:2,0m	48 ks	
EMC 4795AB51K07900 FOF Rectangle Shaped Gaskets 6.4x12.7mm	641 m	
EMC 6585E	50 m	EMC těsnění pryž+vodivá textilie šířka 9mm na plech 0,5-2mm
EMC 77-071-02 Fingerstock Gasket 11,4x3,17mm Lenght: 410mm	4 ks	Laird Low profile Hook-On Gasket
EMC 8014-2214-1 ELASTOMER CORE KNIT	30 m	
EMC 8101-0109-40 UltraFlex Hollow Core Round Copper Knitted Wire Shieldii	29,5 m	EMC 8101-0109-40 Stínění - pouze opletení prům. 12 mm - měď
EMC 8102-0206-41 with PSA	49 m	Laird UFDS, BeCu, SnSat, PSA, RL9.5x12.7mm
EMC 8402-0105-46	50 m	Laird All Mesh Round Strip EMI Gasketing = 7013-0104
EMC 8408-0215-59	0,57 m	Laird ElectroMet W:114,3mm H:0,8mm
EMC 8408-0251-60	1 ks	EMOW,FSilSd,Mon,Sht,1.6x228.6x915mm, 0.915m=1pcs
EMC 8413-0114-64	75 m	Laird ECHR, SiIT, SCF, RL 9.7x.mm
EMC 8563-0073-80 O-Ring 1.8x14mm	35 ks	Laird 14 x 1.8 mm
EMC 8563-0074-80 O-Rings Elastomer	40 ks	B-1,8mm, C-17,20mm
EMC 8563-0079-80 O-Rings Elastomer	119 ks	B=1,8mm; C=25,10mm
EMC 8563-0089-80 O-Rings Elastomer	67 ks	B=1,8mm; C=31,50mm
EMC 8563-0295-80 O-Rings Elastomer	48 ks	B=1,8mm; C=26,6mm
EMC 86726 46J1A02020.NN00 páska 20mmx20m	499,6 m	EMC conductive fabric tape HFR, NiCu 773,86,SL
EMC 8860-0032-155-80 Electro Seal Conductive Sheet	1 ks	10x10inches, Thickness 0,8mm
EMC 8861-9125-89-MOD, PSA width=3 mm	15 ks	Laird elastomer RecStrSd EcE089 6,4x1,6mm PSA width=3mm
EMC 8861-9175-89 Elastomer 6.4x0.8mm Standard Tape width	24 m	RecStrSd,EcE089,PSA 6.4x0.8mm



EMC 8863-0110-89 O-Strips Elastomer Extrusion 1,6mm	8 m	Laird Electroconductive Elastomer diameter:1,6mm Silver/AL
EMC 8863-0115-93 O-Strips Elastomer Extrusions 1,8mm	55 m	Laird
EMC 8863-0120-89 O-Strips Elastomer Extrusion 2,0mm	11 m	Laird Electroconductive Elastomer diameter:2,0mm Silver/AL
EMC 8863-0199-5010 O - Strips Elastomer Extrusions 5mm	50 m	Laird
EMC 8864-0147-92	49,7 m	
EMC 97-548-02 Fingerstock All Purpose Bright finish 19,8x6,35	78 ks	Laird Fingerstock Length: 609,6mm
EMC 97-563-02 Fingerstock Gaskets Clip-On Twist	15 ks	šířka 5,334mm; výška: 1,778mm
EMC 97-606-02 Fingerstock, Clip-on, Bright Finish	110 ks	EMC Fingerstock 0097060602, Clip-on Gasket, L:16'(406,6mm)
EMC 97-632-09 Grounding Fingerstock 1,2x23mm L:406mm	20 ks	Laird NOSG,STR,NiD,DLn, 0.210x6x.182x16in
EMC 97-823-19 Slotted D Shielding Connector 9pin	64 ks	
EMC 97-827-19 Slotted D Shielding Connector 25pin	38 ks	
EMC 97-955 Fingerstock Gaskets Symmetrical (S3) Slotted Shielding	30 ks	
EMC BMI-C-004-SN Stamped Contact 5,97x4,31x5,18mm	50 ks	Laird Precision Stamped Contacts, Tin plated
EMC EMI ferrite Core 28B0395-000 10x5,97x6,17mm	3352 ks	Broadband EMI Ferrite Cylindrical Core
ESA-0801.01.03	1000 ks	SMA; Straight Jack; End Launch Type
ETD 29, feritová kostra PATRON, vertikální, 7+7 pinů	4998 ks	
ETD 29, feritové jádro PATRON P3 G=0 unit	4317 ks	mat: P3, unit, SPQ 112ks
ETD 29, spona k feritovému jádru PATRON	6000 ks	
ETD 34, feritová kostra PATRON, horizontální, 7+7 pinů	2883 ks	SPQ: 127 ks
ETD 34, feritové jádro PATRON P3 G=0 unit	5002 ks	SPQ: 120 ks
ETD 34, spona k feritovému jádru PATRON	5996 ks	
FDSD0415-H-1R5M	3000 ks	Murata Inductor 1,5uH 47mOhm 5A
Ferit 6x32 H11, feritová tyčka	175 ks	
Ferit K 4000 R 12,5 x 7,5 x 5	3000 ks	
Ferit SP4RM6 ekv. B65807J0000R087, RM6, N87	995 ks	
Ferit SP4RM8 ekv. B65811J0000R087, RM8, N87	995 ks	
Ferit tyčka 6x25 H11	48800 ks	
Ferrule_00002525	100 ks	
FLRY-A 0.5/1.6 gelb_žlutý (60V)	2000 m	19x0.19mm blk. - DIN 72551/ISO 6722 Class B
FLRY-A 0.5/1.6 schwarz_černý (60V)	2000 m	19x0.19mm blk. - DIN 72551/ISO 6722 Class B
FLUX REMOVER 4	30 ks	sprej 400ml
FT07D471K	10500 ks	
FT07D821K	5500 ks	
FT14D181K	750 ks	
FT14D471K	500 ks	
FT20D751K	1500 ks	
GCM31CR71E475K	117 ks	1206 4,7u 25V SMD
GMD.00.025.DG	50 ks	
H07V-R 6mm2 red -20°C+130°C	80 m	PVC Wire 300V
HCPL2731	80 ks	
HEF4006BP	900 ks	
HI1206T161R-10	2000 ks	LAIRD IND FERRITE BEAD 160Ohm
HJC: MKP-334K0305AB1151-P	12000 ks	Size:18*13*7,P-15; Lead lenght:17mm min
HJC: MKP-564K0305AB1151-P	4000 ks	Size: 18*15*9. P-15mm, Lead lenght: 17 mm min
HS25-0R1J	40 ks	ARCOL Rezistor 100mOhm; 25W; +-5%
HX2019NL	11640 ks	
CHO 21003221-01	12 ks	CON Male Mini 3P/female w/socket field inst 180°bayonet IP67
CHO 21003525-01	257 ks	Mini series 3Pin front panel mount with pin (lock bayonet)
CHO 22004131-01 Standard series 4 male pin male plug field install (push lock	84 ks	
CHO 22004231-01 Standard series 4 female pin male plug field install (push lo	84 ks	
CHO 22004535-03 Standard series 4 male pin panel mount with socket(Push l	84 ks	
CHO 22004635-03 Standard series 4 female pin panel mount with socket(Pust	84 ks	
CHO 24309231-02 Large Field Install Plug(3+9) Female Pin Push Lock	80 ks	IP67 Male Connector & Female Pin for cable dia 6,5-105mm
CHO 24309535-01 Large Panel Mount(3+9) Male Pin Push Lock	80 ks	IP67 Panel Mount Female Connector Male Piin
CHO 33000000-03 RJ45 plug (screw)	90 ks	MOQ = 100pcs
CHO 33000000-04 RJ45 panel Mount with Jack 180° Bayonet	8 ks	Connector IP67
CHO 33000000-06 RJ45 Plug Bayonet Housing	57 ks	Connector IP67
CHO 33000000-07 RJ45 PCB Mount Screw Coarse Thread IP67	90 ks	Connector
CHO 33000000-10 RJ45 panel Mount with Jack 180° Screw Coarse Thread	8 ks	Connector IP67
CHO 33000111-02 RJ45 Plug Screw Coarse Thread Housing	64 ks	Connector IP67
CHO 34000000-03 USB circle PCB panel mount (screw) IP68	94 ks	
CHO 806-00001-00 Cover USB-RJ45 Thread	100 ks	mating with 34000000-03/34000000-09-XXX
CHO 806-00003-00 RJ45 Waterproof Cover Screw Coarse(Wide) Thread	37 ks	Cover for CHO 33000000-07/10 RJ45 panel Mount with Jack
CHO 806-00017-00	91 ks	Cap for bayonet large series, USB and RJ45 / 33 Series
CHO 806-00027-01	269 ks	Cap for mini series panel mount bayonet
CHO IC02415080101 USB circle PCB panel mount (lock bayonet) + 0,5m+USI	200 ks	Connector 34000000-12-XXX+0,5m cable USB2.0+USB-A male IP67
I040405, 4.0x0.5	900 ks	Medikabel silik. izol. bužířka 4.0x0,5mm černá -80+220°C
IPT1-105-03-S-D-POL	6 ks	
IRF3205 PBF	1000 ks	
IRLR024N TO-252 IR	400 ks	SMD Tranzistor D-PAK
K1-PR-B60	200 ks	
K1-SH-S60	4 ks	ELMA; SET Knob K1 Shape 6mm silver
K60-S150-004	1 ks	ELMA type K60 15mm collet knob soft, no line, d=4mm
K60-S210-006	1 ks	ELMA type K60 21mm collet knob soft, no line, D=6mm
Kapton tape polyimide 25mm/33m	27 ks	
KNB2520	100 ks	kondenzátor odruřovací 22N/K 275V
Kond. EEUFM1H221	17200 ks	Panasonic ELCO RAD 220uF 50V 105°C 4000h LowImp 10x16 SPQ200
Kondenzátor keramický 56pF 2000V RM7,5	900 ks	
KPB1220	100 ks	SPQ: 100 pcs
KPT2038W piezo 3,8kHz Umax 30V 90dB	120 ks	
LFB174095-000	400 ks	Laird Low Freq. Ferrite Core 17,4/9,5x28,58mm 85Ohms/5MHz
Lify 0,05/0,7 rot	1500 ks	
Lify 0,05/0,7 yellow	1500 ks	
LIYCYCY 2X2X0.25qmm	2076 m	14x0.15, DIN 47100, vnější průměr: 1.3/10.40+-0,30mm, béřový



LL4007 SMD DO-214 Toshiba 15+	90000 ks	
M07-3173H300000	945 ks	ELMA Coded Switch Vertical Gray Shorting IP68 SPQ:50pcs
Magnet 30008 north	2840 ks	SPQ 90ks
Magnet 30008 south	2840 ks	SPQ 90ks
magnet 32204 north	16000 ks	
magnet 32204 south	16000 ks	
MB310-508M04	260 ks	Svorkovnice DECA 4 pol. RM5,08mm
MB422-500MA	500 ks	
MB422-76202	340 ks	svorkovnice do DPS lift 4mm2 RM7,62 2P
MB422-76203	882 ks	svorkovnice, 3pin
MC 305	2 ks	
MC100-50802	374 ks	DECA Pluggable TB Straight 5,08 2P Green
MC100-50803	484 ks	
MC100-50804	485 ks	DECA Pluggable TB Straight 5,08mm 4P Green
MC100-50805	486 ks	
MC100-50806	1500 ks	SPQ: 300 pcs
MC100-50808	473 ks	
MC100-50816	500 ks	
MC100-76203	1000 ks	SPQ: 500 pcs
MC100-76205	380 ks	
MC101-76203	148 ks	
MC520 3,5mm 2pins	470 ks	
MC520 3,5mm 7pins	490 ks	
MC9S12C32CFAE25	100 ks	FREESCALE 15+ QFP48
MCX-1105-TGG	54 ks	
MCX-1106-TGG	236 ks	MCX Right Angle Plug Crimp for RG 178, 196
MCX-3201-TGG	340 ks	MCX 2 Hole Flange Jack Receptacle (Exposed Teflon)
MCX-5004-G	979 ks	MCX PCB Cable Terminal Crimp Type
MCX-5111-TGG	75 ks	
MCX-5202-TGG	430 ks	MCX Straight PCB Mount Jack Receptacle
MCX-5203a-TGG	1005 ks	MCX RIA Jack, PCB Type
MCX-5203b-TGG	100 ks	
MCX-5203e-TGG	75 ks	MCX RIA Jack, PCB Type
MCX-5205-TGG	95 ks	
MCX-5206-TGN	99 ks	
MCX-7102-TGG	100 ks	
ME010-50802	389 ks	
ME010-50803	499 ks	
ME010-50804	500 ks	
ME010-50805	486 ks	
ME030-50808	473 ks	
ME030-50816	500 ks	
ME040 3,5mm 2pins	470 ks	
ME040 3,5mm 7pins	490 ks	
ME060-38104	400 ks	konektor DECA svislý 4Pol RM3,81mm
ME060-38108	400 ks	
Metalluk 1197132305	95 ks	Typ 1971.6 - 5-ti pól
MHV-1101-TGN	554 ks	MHV Straight Plug Crimp for RG59, 62A, 210 5KVRMS
MHV-2201-TGN	5 ks	MHV Straight Jack Crimp for RG59, 62A, 210 5KVRMS
MHV-4201-TGN	444 ks	MHV Straight Bulkhead Jack Receptacle
MI0805K400R-10	200 ks	Laird indukčnost
MIC4575-5.0WU	115 ks	D2PACK,SMD, TO-263, MICREL
MIC4576-5.0WU	50 ks	MOQ: 50 ks
MIC4576WU	100 ks	TO-263-5 Micrel
MKFL 13262-6-0-202	3570 ks	Konektor STOCKO IDC 2 pin rozteč 2,5mm, SPQ=1300pcs
MKFL 13262-6-1-202	994 ks	
MKFL 13263-6-0-303	1270 ks	Konektor STOCKO IDC 3 pin rozteč 2,5mm
MKFL 13264-6-0-404	3465 ks	Konektor STOCKO IDC 4 pin rozteč 2,5mm
MKFL 13266-6-0-606	450 ks	Konektor STOCKO IDC 6 pin rozteč 2,5mm
MKH 2802-1-0-200 PCV0B147 S38	1700 ks	
MKH 2803-1-0-300 GREY	1000 ks	
MKH 2804-1-0-400 GREY	1000 ks	
MKH 2807-1-0-700 GREY	500 ks	
MKH 5132-1-0-200	2400 ks	
MKH 5140-1-0-1000	1 ks	
MKH 5141-1-0-1100	3190 ks	
MKH5133-1-0-300	1400 ks	
MKH5134-1-0-400	2000 ks	
MKH5136-1-0-600	1200 ks	
MKH5138-1-0-800 PC-V0-B147 S38	1500 ks	
MKH5144-1-0-1400	300 ks	
MKP2 2,2uF 400VAC	15 ks	
MKP204+522J9	400 ks	31.5mm, 0,22uF, +-5% 1000 Vdc
MKS 1859-6-0-909	500 ks	PC-V0-B147 S38
MKS 1861-6-0-1111	1500 ks	
MKS 2622-6-0-202	1800 ks	
MKS 2674-6-0-404	1500 ks	
MKS1653-6-0-303	111 ks	Stocko Konektor
MKS1654-6-0-404	1527 ks	
MKS1657-6-0-707	2500 ks	Konektor
MKS1853-6-0-303	500 ks	
MKS1854-6-0-404	3000 ks	
MKS1860-6-0-1010	250 ks	
MLX43025-0400	400 ks	

MLX43025-0600	500 ks	
MLX51004-0200	1000 ks	
MLX51004-0300	1000 ks	
MM075M-CAE	100 ks	
MM0787-200	400 ks	Laird Ferrite EMI Disk Round:20mm Height:1,91mm -40+125°C
MM090M-CAE	95 ks	
MMCX-5105-TGG	96 ks	
MMCX-5204-TGG	69 ks	
MMT-106-01-L-SH-P, 6 pin, zlaté	1890 ks	konektor: SCHMID-M
MMT-106-01-T-SH-P, 6 pin	1990 ks	
MMT-106-01-T-SH-P, 6 pin Země původu: Čína, 85369010	3942 ks	konektor s 'place pad', tuba
MMT-109-01-L-SH-P, 9 pin, zlaté	1990 ks	konektor: SCHMID-M
MMT-109-01-T-SH-P, 9 pin	1990 ks	
MOC3063	33 ks	
MP1496-000	525 ks	Ferrite EMI Desk 38x38x2mm
MP720SI-0-1GLA/45SI	6 ks	Microprecision MP720, Membrane SI, Levier 1Gla, Cable SI 5M
MPX120-50812	260 ks	Svorkovnice 12Pol RM5,08mm
MPX120-50816	175 ks	Svorkovnice 16 Pol RM5,08mm BJ: 15 ks
MR2/CB	47 ks	
MR3/CB	48 ks	
MR9/BMX	1 ks	
MSLO9402-002-00B-960-000-00	3003 ks	Konektor STOCKO
MSLO9402-004-007-960-000-00	1004 ks	Konektor STOCKO
MSS1038-103NLB	230 ks	
MTL1F6713-6-000-303	500 ks	
MWX101-50803	455 ks	svorkovnice pružinová, 3pin, 16A
MWX101-50804	440 ks	svorkovnice pružinová, 4pin, 16A
MWX101-50805	263 ks	svorkovnice pružinová, 5pin, 16A
MWX101-50807	400 ks	svorkovnice pružinová, 7pin, 16A
MWX101-50809	400 ks	svorkovnice pružinová, 9pin, 16A
MWX101-50810	400 ks	svorkovnice pružinová, 10pin, 16A
N-1101-TGN	75 ks	RF Connector N Straight Crimp Plug/Male RG213 Teflon
N-1102-TGN	134 ks	
N-1103A-TGN	132 ks	Straight Plug Crimp for RG58
N-1103-TGN	58 ks	RF Connector N Straight Crimp Plug/Male RG: 58 , 141 Teflon
N-1113-TGN	151 ks	N- Connector Male Angled Crimp RG/U 213 Ecoflex 10
N-1114-TGN	131 ks	
N-1115A-TGN	127 ks	
N-1115-TGN	388 ks	N Right Angle Plug Crimp for RG58, 58A, 141A Teflon
N-1124b-TGN	94 ks	Schmid-M N Plug/Male Straight Crimp RG400
N-1207-TGN	96 ks	
N-1208-TGN	180 ks	
N-1209A-TGN	120 ks	
N-1209-TGN	40 ks	
N-1217b-TGN	6 ks	
N-1218A-TGNC	200 ks	
N-2130b-TGN-IP67	5 ks	N male, clamp, straight for RG316/U IP67
N-2231b-TGN-IP67	6 ks	N female, clamp, straight for H155PE,IP67
N-3105-TGN	271 ks	N Square Flange Plug Receptacle, Panel Mount
N-3201-2-TGN, rozteč 13,5mm	100 ks	konektor N female, panelový
N-3201-TGN	1007 ks	N Square Flange Jack Receptacle
N-3202-TGN	435 ks	Schmid-M Square Flange Jack Receptacle
N-3203-TGS	350 ks	N- Konektor na panel nerez s těsnícím kroužkem pájecí pin
N-3210-TGN	283 ks	Schmid-M N Connector Square Flange Jack/Female
N-3212-TGN	194 ks	
N-4201A-TGN	200 ks	
N-4207-TGN	193 ks	
N-4208b-TGN	178 ks	Schmid-M N Connector Straight Bulkhead Jack Receptacle
N-601-TGN	18 ks	Konektorová redukce SMA Plug - N Plug
N-602-TGN	138 ks	
N-7112-TGG	10 ks	
N-7203-TGN	655 ks	
N-7205-TGN	425 ks	
N-7207-TGN	25 ks	
N-7209b-TGN	150 ks	Schmid-M N koaxiální konektor
N-7209-TGN	400 ks	
N-7210-TGN	48 ks	N square flange jack receptacle for RG405/U
NC305 (DO-35)	10 ks	
NFA31GD4704704D hůře pájitelné	3800 ks	
Nj-BNCp-614-DGN	89 ks	
Np-BNCj-613-DGN	90 ks	
NSR0530HT1G	900 ks	
OARSXPR010FLF	660 ks	Resistor Metal Alloy 0.01 Ohm 1% 5W +-40ppm Welwyn
OIT0703-150M	3000 ks	SHIELD INDUC 2x15µH 2,05A 0,084Ohm -40 ~ 125° Dual Winding
o-kroužek 8,5x2 NBR70	409 ks	
OPA334AIDBVT	700 ks	operační zesilovač SOT23
ORD324	6000 ks	
ORP-12SL	200 ks	
P-1213	8000 ks	T-H Bobbin, RM 12, 2 sections
P6KE220A	6000 ks	
P6KE33A Vishay DO-15	1000 ks	
P6KE36A Transil	150 ks	Vishay Packing DO-15
PAMĚŤ EEPROM 25LC040 P DIP	5 ks	
Patron Bobbin EFD 15/8/5 8terminals 1S PM9630 unit	4000 ks	
Patron Bobbin EFD1501 8P 1S unit	4000 ks	

Patron Bobbin ETD4401 9+9pin -1s,horizont	536 ks	SPQ: 84 ks
Patron Bobbin P26/16-2S,Polyamid,unit	1197 ks	
Patron Bobbin RM6 (3+3P)-1S-PM9630	15000 ks	
Patron Clamp RM6 = B65808B2203X000	6000 ks	
Patron Clip EFD15/8/5 unit	4000 ks	
Patron Clip EFD20 unit	1980 ks	
Patron Clip ETD44 unit	5288 ks	
Patron Core E20/10/6 mat P3 g=0,17mm unit	3500 ks	
Patron Core E20/10/6 mat P3 g=0mm unit	3500 ks	
Patron Core EFD 15/8/5 mat P3 AL=780 g=0mm unit	7440 ks	
Patron Core EFD15 mat P3 unit	4560 ks	
Patron Core EFD20 P3 g=0mm unit	2000 ks	
Patron Core EP17 H10K AL=10800nH g=0mm sets	1000 PA	
Patron Core ETD44/12/15 P3 unit	9276 ks	Chyba:509
Patron Core ETD54/28/19 P3 g=0mm unit	474 ks	
Patron Core Toroid T10x6x4 P3 Coating unit	4922 ks	
Patron Core Toroid T16x9.5x5 AL=160uH	800 ks	
Patron CoreToroid T120x60x20 mat P3	10 ks	
Patron EFD2001 Bobbin (4+4)	1000 ks	
Patron H5K 50x30x19 LAK	1280 ks	SPQ: 80pcs
Patron kostra EPC13, 5x5 pin -4S	5041 ks	
Patron toroid T56x32x18, AL 13000nH, potah	10 ks	
Patron: B59870C0080A070	2898 ks	Patron: PTC Thermistor C 870-A 80-A 70 8X2,5
Patron: B59870C0120A070	2040 ks	
Patron: B65888N1010D001 bez pinů Země původu: Čína, 85049018	2440 ks	
Patron: Core T25x15x10 mat. H6K 6000nH Coating	6200 ks	alternativa ke Kaschke: R25/15/10L K6000 317 251
Patron: DRW6X8-2,4WO-6X33-38	18000 ks	Core with Pin
Patron: jádro E16/8/5, 0,06mm	5000 ks	B66307G0060X187
Patron: K31 = Osada OT-016-M5 Země původu: Taiwan, 85369010	2003 ks	
Patron: spona ELP 22	15000 ks	
Permanent magnet 29974 north	16200 ks	
Permanent magnet 29974 south	16196 ks	
PIC16F877-04I/PT	157 ks	SMD
P-KSM632B	5000 ks	
PMEG4020ER	2000 ks	
PMEG6010ER 115	65 ks	Diode schottky 60V 1A SOD123W
PM-T1060R	140 ks	
Pojistka 1A F 5x20mm skleněná	2000 ks	
Pojistný kroužek k přepínači, typ 04, BV22619 (5710-02)	3 ks	
Propojovací Kabel FCC PCB-Female Header 20Pin L:60mm	3250 ks	SM C02 3100 20BB+SM C01 0806 20(60mm)+SM C02 3001 20DF
Propojovací Kabel FCC PCB-Female Header 34Pin L:60mm	1800 ks	SM C02 3100 34BB+SM C01 0806 34(60mm)+SM C02 3001 34DF
Q32M-JXS32-10-10	1000 ks	32MHz SMD low -20/70°C JAUCH Quartz
R 2W 470K RMOK470	800 ks	
R6-0515 S2	1 ks	DC/DC koncertor, Uin:5V / Uout:15V / 2W
RFB 7851 V 0,6-0,5 S-M CUSN SN2B PAPP	8000 ks	
RG 316/U	100 m	Koaxkabel MIL C17-50 Ohm
RG_108_A/U	5 ks	
RG_142_B/U	5 ks	
RG_188_A/U, white	40 ks	
RG_196_A/U	40 m	H+S Kabel koaxialní 22510049
RG_213_U	1000 m	Koaxkabel 50 Ohm
RG_216_U	4 ks	
RG_58_C/U MEDIKabel	650 m	50 Ohm, MIL-C-17, černý
RH-25, VISHAY DALE	10 ks	
Ria typ 157 3 pin 5mm přímá	200 ks	Svorkovnice 31157103
RJHSE-3380	100 ks	
RM4P3	1978 ks	
RP-SMA-5201-TGG	500 ks	Right Angle PCB Mount Jack Receptacle
RS 7900 F 6.3-1	5000 ks	
RS 7901 F 6.3-2.5 Laiton Naturel	1017 ks	STOCKO bez povrchové úpravy
RSB 7604.258 F 4.8-2.5 Stahl Vernickelt	200 ks	MOQ = 10.000 ks
RSB 7984 X 4,8-1,5 S-M Messing verzinkt B	15000 ks	
RSB 8064 X 4.8-1.5	15000 ks	
RSB7603.108 F4.8-1	8000 ks	FeNi Stahl vernickelt MOQ: 2.000 ks
RSVY7541F6.3-2.5	1000 ks	
RSY 7120 A 6-10 SE-CU SN5 M	250 ks	
RSY7104A4-1	427 ks	STOCKO kabelové oko izolované, 0,5-1,5mm2 M4
RSY7109A5-2.5	2000 ks	STOCKO kabelové oko izolované 1,5-2,5 mm2 M5
RSY7112A5-6	1100 ks	STOCKO kabelové oko izolované, 4-6 mm2 M5
RSY7114A6-6	1250 ks	STOCKO kabelové oko izolované 4-6 mm2 M6
RSY7125A5-16	500 ks	STOCKO kabelové oko izolované 10-16mm2 M5
RSY7159A3-2.5	3000 ks	STOCKO kabelové oko izolované 1,5-2,5 mm2 M3
RSY7181A4-0,5	2100 ks	STOCKO kabelové oko izolované 0,1-0,5mm2 M4
RSYPA7103A3,5-1	822 ks	STOCKO kabelové oko izolované 0,5-1,5mm2 M3,5 =RSY7103A3,5-1
RSYPA7103A3-1	1730 ks	STOCKO kabelové oko izolované, 0,5-1,5mm2 M3 = RSY7103A3-1
RSYPA7104A5-1	900 ks	STOCKO kabelové oko izolované, 0,5-1,5mm2 M5
RT HOUSINGS WITH FASTENING	50 ks	
RT03503HBLU	100 ks	RIA Connect
S07K30	800 ks	Varistor EPCOS, B72207S0300K101
S1-0505 SS	1413 ks	Schmid-M DC/DC měnič Uin=5V Uout:5V 1W SIL7 1KVDC
S1-0505DSH4 SCHMID-M	25 ks	Chyba:509
S1-0505SSH6	823 ks	Schmid-M DC/DC měnič 05V/05V 1W SIL7 6KV insulation
S1-0512S	99 ks	Schmid-M DC/DC měnič Uin 5V Uout+-12V dual out 1W SIL7 1KVDC
S1-0515 S	15 ks	DC/DC měnič Uin:5V/Uout:+-15V dual out 1W SIL7 1KV
S1-0515 SH SCHMID-M	240 ks	DC/DC měnič Uin:5V/Uout:+-15V dual out 1W SIL7 3KV SPQ:20pcs



S1-0515 SSH	201 ks	Schmid-M DC/DC měnič Uin=5V, Uout:15V, 1W, SIL7, 3KV
S1-1205DS05H6	402 ks	Schmid-M DC/DC Uin=12V, Uout:5V, 0,5W, DIL, 6KV insulation
S1-1212 SSH6	360 ks	SCHMID-M DC/DC 12V/12V 1W 6KVDC SIL7
S1-3R33R3S Schmid-M	15 ks	DC/DC měnič Uin:3,3V/Uout:+-3,3V dual output 1W SIL7
S14K30	300 ks	Varistor EPCOS, B72214S0300K101
S1MR2	45000 ks	
S3-2418S	12 ks	Schmid-M DC/DC 24V/+18V / 2W / SIL7
S6-2415S6	1 ks	
S7W-2405S15	1 ks	
S7W-4809 D10	1 ks	
S9-2415D20	1 ks	
SA-0505D-1W	605 ks	Schmid-M DC/DC měnič Uin=5V, Uout:5 V, 1W, DIP 14 case
SA-0505S1	394 ks	DC/DC měnič Uin:5V, Uout:5V, 1W, 1KV insulation, SIL4
SA-0512 S1	145 ks	DC/DC měnič Uin:5V, Uout:12V, 1W, 1KV insulation, SIL4
SA-0515 S1	480 ks	Schmid-M DC/DC converter, Uin:05V/ Uout:15V/ 1W / SIL4
SA-0515 XT-1WR2	100 ks	Schmid-M
SA-1215S1	80 ks	DC/DC měnič Uin:12V Uout:15V 1W 1KVDC SIL4, SPQ=42ks
SA2412T-1W	6 ks	Schmid-M DC/DC converter 24V/+12V / 1W / SMD / 1KV
SB-0505 RT-1W SCHMID-M	525 ks	Schmid-M, DC 05V/05V/1W/1,5kV,Ultra-thin package
SB-0515 XT-1WR2	300 ks	Schmid-M DC/DC Uin:5V/ Uout:15V/ 1W/ SMD / -40+105 C
SB-1205 T-1W SCHMID-M	1 ks	DC/DC con., Uin:12V / Uout:05V / 1W / SMD / 1000V; BJ: 15 ks
SB-1224 S-2WR2	28 ks	
SBF36-5T repro 36x5mm 8Ohm/0,5W	1000 ks	
SBF45-3T	801 ks	repro
SCB 2012 09A-221; impedance 220Ohm; 3000mA	3560 ks	742792022
SCB201209A152	159920 ks	EMC Ferrite Beads 0805,1500 Ohm, 1A
SCB321611-601/2	1684 ks	
SCC-MH-682	60 ks	
SCCN-NVI-333	2 ks	Choke Inductance: 33mH, DC Resistance:105mOhm, Current: 3A
SCCN-NVI-683	2 ks	Choke Inductance: 68mH, DC Resistance:180mOhm, Current: 2,2A
SCC-NVI-682	5 ks	Choke Inductance: 6,82mH, Current: 2,5A
SCCN-VVI-123	5 ks	Choke Inductance: 12mH, DC Resistance:60mOhm, Current: 3A
SCCN-VVI-183	5 ks	Choke Inductance: 18mH, DC Resistance:120mOhm, Current: 2A
SCCON-V-153	2 ks	Choke Inductance: 15mH, DC Resistance:25mOhm, Current: 8A
SCCON-V-273	2 ks	Choke Inductance: 27mH, DC Resistance:45mOhm, Current: 5A
SCC-SH-122	130 ks	
SCC-VVo-102b	252 ks	
SCI2012-330K	4400 ks	tlumivka 33uH smd Schmid-M
SCI51-444-158	5 ks	
SD-4812 S6	1 ks	Schmid-M DC/DC Uin: 36-72V Uout: 12V 6W 1500VDC
SDRH0703-330	5000 ks	
SDRH1205-470M	4000 ks	Shielded Power Inductor 47uH 1,8A 0,075Ohm 12x12x5mm
SDRH1207-151K	3000 ks	
SDRH3D16-2R2N	4000 ks	Schmid-M Shielded inductor 2,2uH 1,2A 72mOhm 3,85x3,85x1,7mm
SE-0515 T-1W SCHMID-M	1608 ks	SPQ: 32 ks
SEC36-100K	200 ks	
SF-0505D-1W	13 ks	
SF-0512 S2	80 ks	SCHMID-M DC/DC 05V/12V 2W SIL12
SFP3216-601 / SPWC-1206-601	500 ks	SMD Common Mode Line Filter 660Ohm 260mA
SG 0509 D-2W	8 ks	DC/DC converter,Uin:5V,Uout:9V, 2W, 6KV, DIL, -40+85C
SG-0509 S-1W	5 ks	DC/DC converter, Uin:5V, Uout:9V,1W, SIL7, 6KV, -40+85C
SG-0512 S-1W	30 ks	
SG-0524 S-2W	3 ks	Schmid-M DC/DC 5V/+24V/2W/SIL7/6KVDC
SG228025DS	40 ks	
Schmid-M: Adapter SMA-603-TGG SMAM-SMAM	171 ks	
Schmid-M: Adapter SMA-604-TGG;SMAf-SMAf	44 ks	plating: Pin: Gold, Body: Nickel
Schmid-M: Adapter SMAj-Np-603-TGN B	20 ks	
Schmid-M: Adapter SMAp-Nj-602-TGN	2 ks	
Schmid-M: B59890C0120A070	1136 ks	
Schmid-M: CKTCB161208-2.2MH/N	3056 ks	Common Mode Choke 2x2,2mH 2A 90mOhm 20x20x13mm
Schmid-M: Ferit SRP40.0x6.5x12	15 ks	
Schmid-M: SMLF-75	19 ks	
Schmid-M: SRP23.5x6.3x10.0	30 ks	
SJ-2415S1	15 ks	DC/DC converter Uin:9-36V Uout:15V reg 1,5W 1,5KV DIP24
SJ-2424S3	16 ks	měníč DC/DC 9-36V/24V/3W 1,5KVDC -40+85°C DIP24
SJ-4805 D3	14 ks	DC/DC Converter Uin:18-72V Uout:+-5V reg 3W 1,5KV DIP24
SLF7032T-4R7M1R7-2PF	200 ks	
SM Assembly Cable USB 2.0 A + 9 Pin Header	350 ks	
SM C01 0805 20-150mm Type 1	475 ks	Flat Flexible Cables 1mm Type1 20Pin 150mm
SM C01 0805 40 L:120mm Shielded 0,5mm Type A-B	500 ks	Shielded FCC flat cable Pitch:0,5mm 40Pin Length:120mm
SM C01 0806 05 L:40mm	500 ks	Flat cable 5pin RM:2.54 L1:40mm end stripped:4mm
SM C01 0812 06	258,9 m	Schmid-M 1,27mm Rainbow Flat Cable 26AWG 6pole SPQ:61m
SM C01 0812 24	182,7 m	Schmid-M 1,27mm Rainbow Flat Cable 26AWG 24Pole SPQ:61m
SM C02 0801 08CP	1000 ks	IDC block, pitch:3,81mm, 8 Pin, duals110&krone type
SM C02 1170 30 ER H:2,50mm	500 ks	Pin Header double Row angled 1,27x1,27mm 2x15Pin
SM C02 1173 08 AR	340 ks	kolíková lišta úhlová, 1,27mm, 8 Pin H:1,5mm
SM C02 1271 04 BD	1000 ks	Schmid-M lišta SMD 1.27mm, 4pin
SM C02 1271 06 BD	2000 ks	Schmid-M lišta SMD 1.27mm, 6pin
SM C02 1271 06 BSG	980 ks	Lišta SMD 1.27mm, 6pin
SM C02 1280 50 FD H:10mm	450 ks	PIN HEADER SMD 1,27x1,27 2x25 PIN DOUBLE INS
SM C02 2100 04 AR	1000 ks	Schmid-M 2.54mm Pin Header 1 Row 1x4P Right Angle Type
SM C02 2100 10 AS; E (Head dim.)=8,08mm; A (Tail dim.)=3,05mm	498 ks	Schmid-M Pin Header single row 10Pin 2,54mm straight
SM C02 2100 16 ES A:3,3 B:6,0 C:16,4	100 ks	Schmid-M Pin Header RM2,54 1*16Pin Double Ins
SM C02 2100 36 AS A:3,0 B:6,6 C:12,4	10 ks	Schmid-M Pin Header RM2,54 1x36Pin Straigh
SM C02 2100 36 AS L:11,54mm	598 ks	Pin Header single row 36Pin 2,54mm

SM C02 2100 40 AR	1098 ks	Schmid-M 2.54mm Pin Header Single Row 1x40P Right Angle Type
SM C02 2102 05 AS F:3,0mm	1800 ks	Pin Header 1row 5Pin 2,54mm Straight H:1,5mm Length:8,0mm
SM C02 2102 05 AS F:8,5mm	1400 ks	Pin Header 1row 5Pin 2,54mm Straight H:1,5mm Length:8,5mm
SM C02 2104-14A	400 ks	2.54 mm,H=2,5mm,W=3,46mm,1x14P, C=4,0mm,D=3,6mm, E=1,05mm
SM C02 2200 24 FS A-3,3mm C-29mm D-19,2mm E-6,5mm	800 ks	Pin Header 2x12PIN 2,54x2,54 Double Ins . L:29mm
SM C02 2200 24 FS L:24 A:15,6	300 ks	Pin Header 2,54*2,54 2*12PIN Double Ins 3+15,6+5,4mm
SM C02 2200 30 FS, C=36mm	450 ks	Schmid-M Pin Header 2.54x2.54mm 2x15Pin Double Insulator
SM C02 2200 34 FSG	390 ks	
SM C02 2200 40 BD - pro ruční pájení	18400 ks	Pin Header SMD 2,54x2,54mm 2x20Pin Gold:0,8u
SM C02 2200 40 BS Typ A	8840 ks	2.54mm pin header dual row 40pin straight;plate Gold 0.8u
SM C02 2200 52 BD: C=11mm	444 ks	Schmid-M pin header SMD 2,54x2,54mm 2x26Pin wo/pad H:15,5mm
SM C02 2200 72 BS A:3,0 B:6,6 C:12,4	10 ks	Schmid-M Pin Header 2,54*2,54 2*36Pin Straight
SM C02 2200 80 BD pro ruční pájení	979 ks	Schmid-M lámací lišta SMD 2,54x2,54mm 2x40pin 0-125°C
SM C02 2200 80 BD; H: 12 mm	2000 ks	PIN Header dual row SMD 2,54x2,54mm 2x40Pin
SM C02 2200 80 BR	498 ks	PIN Header dual row 90° 2,54x2,54mm 2x40Pin
SM C02 2720 02HZ	998 ks	Multi Jumper rozteč: 2,54mm 2Pole H:4,3mm Gold plated
SM C02 2804 10AS	350 ks	lám. lišta 1x10pin 5,7mm/24mm/2,5mm (dříve:C2804-10ASG-G)
SM C02 2806 20 BSGH00R	4000 ks	Header Female PCB Straight 8.4mm 2,54x2,54 2x10Pin/4 Free
SM C02 2807 40BSA-G	12960 ks	2,54 mm Female Header, 2 rows, straight, 2x20P
SM C02 2818 08 YL	500 ks	Female Header, dual rows SMT H=3.56mm 2x4Pin
SM C02 2818 30 PA without locating peg, with PAD	490 ks	Schmid-M
SM C02 2818 30 PA+, locating peg, H=5mm	738 ks	
SM C02 2818 30 YA, H=5mm	447 ks	Fem.Header dual r. SMT H=5mm 2x15P without loc.peg with PAD
SM C02 2822 06 AD	450 ks	Schmid-M: dutinková lišta, H=11mm, L=12mm, 6 pinů
SM C02 2822 08 AD	400 ks	Schmid-M: dutinková lišta, H=11mm, L=12mm, 8 pinů
SM C02 2822 10 AD	450 ks	Schmid-M: dutinková lišta, H=11mm, L=12mm, 10 pinů
SM C02 2824 16 B	505 ks	Header Female RM2,54 1x16Pin H:5,0mm Type:B
SM C02 2826 12 AS	498 ks	Schmid-M header box RM2,54mm 1x12PIN Straight H8,0mm
SM C02 2826 12 BS	498 ks	
SM C02 2828 10 B H:5.0mm	495 ks	Schmid-M box SMD header 2,54mm 1x10Pin Height: 5,0mm
SM C02 2828 10 B H:9.0mm	500 ks	Schmid-M box header 2,54mm 1x10Pin Height: 9mm
SM C02 3000 34 RS	949 ks	Fully shrouded header w/Lock RM2,54 2x17Pin Straight PCB
SM C02 3000 SAB	1000 ks	Short Latch for SM C02 3000 series
SM C02 3001 06CF	500 ks	Schmid-M IDC Socket 2,54*2,54 černá 2x3PIN 0,8u zlato
SM C02 3001 10CF	2012 ks	Schmid-M IDC Socket 2,54*2,54 černá se zajištěním 2x5PIN
SM C02 3001 14CF	687 ks	Schmid-M IDC Socket 2,54*2,54 černá se zajištěním 2x7PIN
SM C02 3001 16CF	1200 ks	Schmid-M IDC Socket 2,54*2,54 black 2x8PIN 0,8u gold
SM C02 3001 20CF	1599 ks	Schmid-M IDC Socket 2,54*2,54 černá se zajištěním 2x10PIN
SM C02 3001 34 LN	109 ks	Schmid-M IDC Socket 2,54x2,54 Latch Bump Greey
SM C02 3100 20 AB GREY	2330 ks	Schmid-M box header IDC PCB connector 20Pin 2,54x2,54mm grey
SM C02 3100 30 AAG	500 ks	Header Dip Plug 2,54x2,54 30Pin A48,40mm; B40,64mm
SM C02 3100 34 AAG	350 ks	Header Dip Plug 2,54x2,54 30Pin A48,40mm; B40,64mm
SM C02 3127 20 PTR	338 ks	SCHMID-M 2.54mm mini match 180°20P male on wire type tin red
SM C02 3501 10 CG	880 ks	
SM C02 3510 06S	680 ks	Schmid-M Header Box 2x3 pin 2,54*2,54mm přímý THT
SM C02 3510 10S	989 ks	Schmid-M Header Box 2x5 pin 2,54*2,54mm přímý THT H:8,8mm
SM C02 3510 12R	2000 ks	Schmid-M Header Box 2x6 pin 2,54*2,54mm úhlový THT
SM C02 3510 14S	996 ks	Schmid-M Header Box 2x7 pin 2,54*2,54mm přímý THT H:8,8mm
SM C02 3510 16S	896 ks	Schmid-M Header Box 2x8 pin 2,54*2,54mm přímý THT H:8,8mm
SM C02 3510 20 S	1800 ks	Schmid-M Header Box 2x10 pin 2,54*2,54mm přímý THT H:8,8mm
SM C02 3510 26DG-PA46	240 ks	Schmid-M Header Box 2x13 pin 2,54*2,54mm přímý smd PA-46
SM C02 4828 04 DDN	1000 ks	Schmid-M Fem. Header SMT 1.27mm 4pin H=3.40mm
SM C02 4828 06 DDN	2011 ks	Schmid-M Fem. Header SMT 1.27mm 6pin H=3.40mm
SM C02 4828 08 SDN	245 ks	Schmid-M dutinková lišta 1,27mm 8Pin přímá H=3,4mm
SM C02 4828 20SHN	900 ks	
SM C02 4829 06 BDG	995 ks	Header SMD 1.27mm, 6pin
SM C02 6100 10 AD C:3,00 D:4,2 E:2,7	2500 ks	Pin Header single row 2,0mm 10Pin SMD A W/PAD
SM C02 6100 40 AS	748 ks	Pin Header One Row RM2mm 40Pin Plast:2.00mm
SM C02 6115 15 AS	900 ks	Schmid-M Pin Header Single Row RM2.00 15Pin Plast H:1.5mm
SM C02 6200 26 BS	1000 ks	Schmid-M Pin Header 2.0x2,0mm 2x13Pin H:2,00mm
SM C02 6200 50 DS	2 ks	Pin Header 2mm; 2x25pin Dual Rows
SM C02 6201 40 BD	300 ks	SM Pin Header H SMT 2.0x2.0mm 2x20PIN
SM C02 6215 40 BD	500 ks	Schmid-M pin header RM:2.00 2x20P SMD H:10,7 mm
SM C02 6240 40 DR	1000 ks	Schmid-M Pin Header 90° MALE-MALE 2,0x2,0mm 2x20pinů
SM C02 6802 32 BC	880 ks	Schmid-M Female Header 2.00mm Straight 2x16PIN H=4,3mm
SM C03 2600 05 SBW-5A	12000 ks	Chyba:509
SM C03 2615H	990 ks	Crimp terminal housind; 2.5mm
SM C03 2615T	3960 ks	Terminal for SM C03 2615W
SM C03 2615W	990 ks	Wire to Board Connector - Wafer; 2.5mm 4Pol
SM C03 4130 02 SH	995 ks	Schmid-M connector micro fit 3,00mm Housing 2pin
SM C03 4130 GT	9985 ks	Schmid-M connector micro fit 3,00mm Terminal
SM C03 4230 02SDW	1590 ks	
SM C04 0052 88 Y	153 ks	Ethernet RJ 45 8x8 vertical, nestíněná
SM C04 0057 88N	2000 ks	RJ 45 konektor nestíněný,
SM C04 0060 88 AA	700 ks	RJ45 side entry 8P8C PCB Jack shielded 3,05mm behind peg
SM C04 0060 88 HA	200 ks	Side Entry PCB 8xJack 8P8C shielded / RJ45 tab down
SM C04 0060 88 HN	443 ks	Side Entry PCB 8xJack 8P8C w/o shield RJ45 tab down SPQ:30pc
SM C04 0071 88 2A	150 ks	Side entry PCB 2xJack 8P8C shield / RJ45 w/o led Tab down
SM C04 0073 AA	863 ks	RJ45, 8x8, horizontal, 2xLED G/Y-clear latch up shielded
SM C04 0253A	880 ks	Konektor Jack 2,5mm 4 vývody, stereo
SM C04 0352 B	995 ks	Earphone Jack 3,5 mm zásuvka, THT
SM C04 2A17JHG2	1020 ks	Mod. RJ45 Jack PCB 90° TAB/UP LED G/Y Magn / 5-6605798-8
SM C04 5921 88 Y	540 ks	RJ45 PCB Angled 8P8C Cat5 Shield w/o Led EQV:AMP5558342-1
SM C04 5A15AEG2 (dříve SM C04 1800 NL)	144 ks	RJ45 Vertical 8P8C W/LED(Y:G) transformer PBT black
SM C04 8105 13 P	200 ks	BJ: 100 ks



SM C04 8317 04 BFH	813 ks	USB B, female, horizontal, 4pin, PCB
SM C04 8317 04AFH	898 ks	USB A, female, horizontal, 4pin
SM C04 8317 04BFS	700 ks	USB B, female, vertical, přímý, 4Pin, PCB
SM C04 8350 05 B	900 ks	
SM C04 8367 05 B	810 ks	Schmid-M Micro USB SMD 5Pin Reel
SM C05 0541 09FA	998 ks	
SM C05 0580 09 FCA	410 ks	D-SUB konektor 9Pin F zářezový na plochý kabel bez závitů
SM C05 0580 09 FCB	300 ks	D-SUB IDC 9PIN Female Metal Shell Plast S/R Thread 4-40UNC
SM C05 0580 09 MCA	410 ks	D-SUB konektor 9Pin M zářezový na plochý kabel bez závitů
SM C05 0580 09 MCB	300 ks	D-Sub IDC 9Pin Male Metal Shell Plast S/R Thread 4-40UNC
SM C06 3912-27YZ	895 ks	ZIF FPC/FFC 1.25mm DIP 90. 27P, Ivory
SM C07 0109 02 Black	1445 ks	2.54mm SIP socket machined pin H:7+3 mm black 2PIN
SM C07 0109 03 Black	1700 ks	2.54mm SIP socket machined pin H:7+3mm black 03Pin
SM C07 0109 05 Black	2150 ks	2.54mm SIP socket machined pin H:7+3mm black 5PIN
SM C07 0109 06 Black	1800 ks	2.54mm SIP socket machined pin H:7+3 mm black 6Pin
SM C07 0109 08 Black	1072 ks	2.54mm SIP socket machined pin H:7+3 mm black 8PIN
SM C07 0109 10 BLACK	618 ks	
SM C07 0109 12 Black	1017 ks	
SM C07 0109 18 Black	1018 ks	2.54mm SIP socket machined pin H:7+3 mm black 6PIN
SM C07 0109 20 Black	328 ks	header Socket Single Row 20Pin 2,54mm Machined Pin H:7+3mm
SM C07 0110 20 S	784 ks	Chyba:509
SM C07 0110 40 S	580 ks	Schmid-M patice precizní 2.54mm 40pin
SM C07 0112 02 S	3000 ks	Schmid-M 2.54mm SIP socket machined pin 2PIN L=7.4mm
SM C07 0112 04S / SM C07 011G B04S	5000 ks	Schmid-M 2.54mm SIP socket machined pin 2PIN L=7.4mm
SM C07 0116 04 D	95 ks	Schmid-M 2,00mm SIP Socket Machined Dual Rows 2x2 PIN
SM C07 0116 08 D	500 ks	Schmid-M 2,00mm SIP Socket Machined Dual Rows 2x4 PIN
SM C07 8481 14 AN	422 ks	I.C. Socket 2,54x7,62mm; 2x7 MACHINED PIN
SM C07 8481 16 AN	970 ks	I.C. Socket 2,54x7,62mm; 2x8 MACHINED PIN
SM C09 0352 06 RSC	465 ks	Schmid-M pluggable TB, 3,50mm 6Pin přímý do PCB,
SM C09 0352 10 ROC	445 ks	Schmid-M pluggable TB 3,5 mm, PCB right angle 10P
SM C09 0353 02 SOC	500 ks	Schmid M pluggable TB PCB straight 3,50mm 2Pin Green
SM C09 0353 04 SOC	500 ks	Schmid M pluggable TB PCB straight 3,50mm 4Pin Green
SM C09 0353 06 SOC	1000 ks	Schmid M pluggable TB PCB straight 3,50mm 6Pin Green
SM C09 0354 02 YOC	499 ks	Schmid-M plugabble wire cage term 2P 3,50mm 8A 300V 28-16AWG
SM C09 0354 04 YOC	499 ks	Schmid-M plugabble wire cage term 4P 3,50mm 8A 300V 28-16AWG
SM C09 0354 06 YOC	1000 ks	Schmid-M plugabble wire cage term 6P 3,50mm 8A 300V 28-16AWG
SM C09 0354 06 YSC	465 ks	Schmid-M pluggable TB 3,50mm 6Pin fix screw
SM C09 0355 08 YOC	400 ks	Schmid-M Pluggable TB 3,50mm 8 Pin Without Fix Screws
SM C09 03815 12 YOC	370 ks	Schmid-M Pluggable Terminal Block 3,81 mm 12Pin
SM C09 0382 03 ROC	80 ks	Schmid-M Pluggable Terminal Block 3,81mm PCB Right Angle 3P
SM C09 0382 04 ROC	494 ks	Schmid-M pluggable TB 3.81, 04 Pin 90° do PCB
SM C09 0382 04 RSC	466 ks	Schmid-M: Pluggable Terminal Block Pitch 3.80 mm 4Pin
SM C09 0382 08 ROC	491 ks	Schmid-M pluggable TB 3.81, 08 Pin 90° do PCB
SM C09 0382 10 ROC	300 ks	Schmid-M pluggable TB 3.81, 10Pin 90° do PCB
SM C09 0382 12 ROC	200 ks	Schmid-M pluggable TB 3.81, 12Pin 90° do PCB
SM C09 0383 02 SOC	403 ks	Schmid M pluggable TB PCB straight 3,81mm 2Pin Green
SM C09 0383 03 SOC	98 ks	Schmid M pluggable TB PCB straight 3,81mm 3Pin Green
SM C09 0383 04 SOC	175 ks	Schmid M pluggable TB PCB straight 3,81mm 4Pin Green
SM C09 0383 06 SOC	415 ks	Schmid M pluggable TB PCB straight 3,81mm 6Pin Green
SM C09 0383 07 SOC	118 ks	Schmid M pluggable TB PCB straight 3,81mm 7Pin Green
SM C09 0383 08 SOC	16 ks	Schmid M pluggable TB PCB straight 3,81mm 8Pin Green
SM C09 0383 10 SOC	113 ks	Schmid M pluggable TB PCB straight 3,81mm 10Pin Green
SM C09 0384 02 YOC	1577 ks	Schmid-M plugabble wire cage term 2P 3,81mm 8A 300V 28-16AWG
SM C09 0384 03 YOC	856 ks	Schmid-M plugabble wire cage term 3P 3,81mm 8A 300V 28-16AWG
SM C09 0384 04 YOC	576 ks	Schmid-M plugabble wire cage term 4P 3,81mm 8A 300V 28-16AWG
SM C09 0384 07 YOC	118 ks	Schmid-M plugabble wire cage term 7P 3,81mm 8A 300V 28-16AWG
SM C09 0384 08 YOC	564 ks	Schmid-M plugabble wire cage term 8P 3,81mm 8A 300V 28-16AWG
SM C09 0384 10 YOC	876 ks	SchmidM plugabble wire cage term 10P 3,81mm 8A 300V 28-16AWG
SM C09 0384 12 YOC	1528 ks	SchmidM plugabble wire cage term 12P 3,81mm 8A 300V 28-16AWG
SM C09 0384 14 YOC	48 ks	SchmidM plugabble wire cage term 14P 3,81mm 8A 300V 28-16AWG
SM C09 0388 06 ROC	90 ks	konektor dvouřadý úhlový 2x3 pin RM:3,81mm
SM C09 0388 08 ROC	90 ks	konektor dvouřadý úhlový 2x4 pin RM:3,81mm
SM C09 0388 16 ROC	445 ks	konektor dvouřadý úhlový 2x8 pin RM:3,81mm
SM C09 0503 02 SOC	496 ks	Schmid-M pluggable TB 5mm, 2 Pin, přímá, do PCB
SM C09 0503 03 SOC	496 ks	Schmid-M pluggable TB 5mm, 3 Pin, přímá, do PCB
SM C09 0503 04 SOC	491 ks	Schmid-M pluggable TB 5mm, 4 Pin, přímá, do PCB
SM C09 0503 09 SOC	866 ks	
SM C09 0503 10 SOC	491 ks	Schmid-M pluggable TB 5mm, 10 Pin, přímá, do PCB
SM C09 0504 02 YOC	496 ks	Schmid-M pluggable wire cage TB 5,00mm 2pin, W/O screw
SM C09 0504 03 YOC	496 ks	Schmid-M pluggable wire cage TB 5,00mm 3pin, W/O screw
SM C09 0504 04 YOC	491 ks	Schmid-M pluggable wire cage TB 5,00mm 4pin, W/O screw
SM C09 0504 10 YOC	491 ks	Schmid-M pluggable wire cage TB 5,00mm 10pin, W/O screw
SM C09 05814 12 YOC	368 ks	Schmid-M Pluggable Terminal Block 5,08mm 12Pin
SM C09 0583 02 SOC	498 ks	Schmid M pluggable TB PCB straight 5,08mm 2Pin Green
SM C09 0583 03 SOC	500 ks	Schmid M pluggable TB PCB straight 5,08mm 3Pin Green
SM C09 0584 02 YOC	500 ks	Schmid-M Pluggable TB 5,08mm 2Pin W/O Side Screw
SM C09 0586 02 YOC	200 ks	svorkovnice násuvná přímá,5,08mm, 02P,protikus k SM C09 0583
SM C09 0586 03 YOC	500 ks	svorkovnice násuvná přímá,5,08mm, 03P,protikus k SM C09 0583
SM C09 0916 02N	495 ks	Schmid-M plugabble wire cage term 2P 3,50mm 8A 300V 28-16AWG
SM C09 0916 03N	495 ks	Schmid-M plugabble wire cage term 3P 3,50mm 8A 300V 28-16AWG
SM C09 11630 02 SS4	200 ks	Screw Clamp TB PCB RM10,16mm 2P Straight 57A/750V
SM C09 15017 03 RS4 (neosazený centrální pin)	398 ks	Schmid-M TB Screw Clamp PCB Straight 3pin RM5.00 20A/250V
SM C09 2502 02 RW2	866 ks	Schmid-M svorkovnice RM 5,0mm, 2PIN, modrá, vodič svle
SM C09 2502 02 SW2	500 ks	Schmid-M svorkovnice 5,00mm, přímá, PCB, 2pin, modrá
SM C09 2502 03 RW2	1698 ks	Schmid-M svorkovnice RM 5,0mm, 3PIN, blue, Top Entry
SM C09 2502 03 SW2	200 ks	Schmid-M svorkovnice, přímá, PCB, 5,00mm 3pin, modrá



SM C09 2505 03 HW2 (DŘÍVE SM C09 0930 XX)	800 ks	Schmid-M svorkovnice, 5,00mm, modrá, header mount, 3pin
SM C09 2505S 24 S	154 ks	Schmid-M Pin Header 5,0mm for mounting SM C09 2505 XX
SM C09 2816 10A REEL	7000 ks	Chyba:509
SM C09 3252C 05 SC1A	84 ks	
SM C09 34045 02 DC8	862 ks	LED SMT connector 2pin 0,2-0,75mm2 6A 320V RM:4mm
SM C09 35018 02 SW4	483 ks	Schmid-M, Wire protector TB 5,00mm 2Pin, PCB Straight green
SM C09 35018 03 SW4	483 ks	Schmid-M, Wire protector TB 5,00mm 2Pin, PCB Straight green
SM C09 35021 02 VS1	3000 ks	Schmid-M Screw clamp TB 5,00mm 2Pin, 45°, blue
SM C09 35026 03 SW8	475 ks	PCB terminal blok s bezpečnostní nálitkem, 5.00mm/ 15A/3pin
SM C09 3507S 02 SS4	600 ks	Schmid-M, Screw clamp TB 5,00mm 2Pin, straight, pin L:3,5mm
SM C09 3507S 03 SS4	300 ks	Schmid-M, Screw clamp TB 5,00mm 3Pin, straight, pin L:3,5mm
SM C09 35813 04 VC4	400 ks	svorkovnice pružinová, 4pin, 16A
SM C09 38020 01 WC1	500 ks	
SM C10 GX12 38 Female	385 ks	Schmid-M Connector Cable-Cable Mount 3Pin Female
SM C10 GX12 38 Male	385 ks	Schmid-M Connector Cable-Cable Mount 3Pin Male
SM TE F167411	77000 ks	Schmid-M Ms-Flachstecker 2,8x0,8x13,8
SM-0007-316-0050	30 ks	
SM-0007-316-0300	15 ks	
SM-0007-316-0400	15 ks	
SM08CH560K	281 ks	
SM712-02HTG	500 ks	Littelfuse SOT23 DC15+
SMA-1101-TGG	946 ks	RF Connector SMA 90° Crimp Plug/Male RG58 / RG141 Teflon
SMA-1102-TGG	916 ks	RF Connector SMA 90° Crimp Plug/Male RG178 / 316 Teflon
SMA-1103-TGG	440 ks	SMA serie Right Angle Plug Crimp Cabel 142B/U Teflon
SMA-1104-TGG	2 ks	RF Connector SMA Straight Crimp Plug/Male RG58 /141 Teflon
SMA-1104-TGG-1,0m RG58+N-1103-TGN	1 ks	SMA straight plug to N straight PLUG – 50 Ohm L:1 m
SMA-1104-TGN	777 ks	RF Connector SMA Straight Crimp Plug/Male RG58 /141 Teflon
SMA-1105-TGG	35 ks	RF Connector SMA Straight Crimp Plug/Male RG174/316 Teflon
SMA-1105-TGG+0,5m RG174+SMA-1105-TGG	1 ks	SMA straight plug to SMA straight plug – 50 Ohm L:0,5 m
SMA-1105-TGG+0,5m RG316+SMA-1105-TGG	1 ks	SMA straight plug to SMA straight plug – 50 Ohm L:0,5m
SMA-1105-TGG+1,0m RG174+SMA-1105-TGG	2 ks	SMA straight plug to SMA straight plug – 50 Ohm L:1 m
SMA-1105-TGG+1,0m RG316+SMA-1105-TGG	2 ks	SMA straight plug to SMA straight plug – 50 Ohm L:1 m
SMA-1106-TGG	18 ks	RF Connector SMA Straight Crimp Plug/Male RG142 Teflon
SMA-1207-TGG	75 ks	
SMA-1210-TGG	628 ks	
SMA-1211-TGG	10 ks	
SMA-1230-TGG	50 ks	
SMA-1237-TGG	392 ks	
SMA-21L-S	4 ks	
SMA-21LV-S	50 ks	
SMA-3204-TGN	50 ks	
SMA-3206a-TGG	200 ks	SMA Square Flange Jack Receptacle
SMA-3208b-TGG	100 ks	SMA 2 Hole Flange Jack/Female
SMA-3209-TGG	100 ks	
SMA-3215-TGG	758 ks	
SMA-3219-TGG	102 ks	
SMA-3220-TGG	50 ks	
SMA-3223a-TGG	59 ks	Schmid-M SMA Connector Square Flange Jack/Female
SMA-4202-TGG	461 ks	Schmid-M SMA Straight Bulkhead Jack Receptacle (Rear mount)
SMA-5101b-TGG	120 ks	Schmid-M SMA Plug PCB Mount 50Ohm
SMA-5102b-TGG	150 ks	Schmid-M SMA Plug PCB Mount R/A 50 Ohm
SMA-5201-TGG	370 ks	Schmid-M Straight PCB Mount Jack Receptacle SMA
SMA-5202-TGG	924 ks	Schmid-M SMA Right Angle PCB Mount Jack Receptacle Teflon
SMA-5203-TGG	875 ks	
SMA-5205-TGG	1580 ks	Schmid-M SMA Launch Jack Receptacle - Round contact
SMA-602-TGG	997 ks	
SMA-604-TGG	15 ks	Konektorová redukce SMA - Jack-Jack / Zlacené PIN+tělo
SMA-607-TGG, SMA-SMA90	20 ks	
SMA-7014-G	150 ks	
SMA-7014-TGG	59 ks	
SMA-7019-TGG	60 ks	
SMA-7101-TGG	120 ks	
SMA-7102-TGG	2746 ks	
SMA-7111-TGG	82 ks	
SMA-7112-TGG	51 ks	
SMA-7205-TGG	100 ks	
SMA-7206b-TGG	484 ks	
SMA-7207b-TGG	60 ks	SMA Straight Square Flange Jack for RG402/u
SMA-7208b-TGG	60 ks	SMA Straight Square Flange Jack for RG405/u
SMAC-25-P17,5	100 ks	Sonitron sirena SMAC
SMAJ13A	3900 ks	SPQ = 5000pcs
SMAj-Nj-604-TGN	92 ks	
SMAj-Np-603-TGN	17 ks	konektorová redukce SMA Jack - N Plug
SMAp-Np-601-TGN	19 ks	konektorová redukce SMA Plug - N Plug
SMB-01-TGG	1180 ks	Anténní zástrčka úhlová do DPS v=5.5mm
SMB-1101a-TGG	8 ks	SMB Straight Plug RG 174,188, 316 PTFE
SMB-1107-TGG	3 ks	
SMB-4202-TGG	57 ks	
SMB-5102-TGG	947 ks	SMB Female Receptacle Straight PCB Mount
SMB-5201b-TGG	14 ks	
SMB-5203e-TGG	950 ks	Schmid-M SMB PCB Mount Jack Receptacle
SMB-5203-TGG	400 ks	Schmid_M SMB PCB Mount Jack Receptacle
SMB-5204-TGG	867 ks	
SMB-601-TGG	8 ks	
SMBJ43CA	2000 ks	VISHAY SMB 15+
SMBJ6.0CA	500 ks	
SMC-1101-TGG	244 ks	

SMC-1103-TGG	458 ks	
SMC-4201-TGG	80 ks	
SMCC-220K	20 ks	Axial Choke 22uH 560mA Q50 +-10%
SMFC1-103W C bez aretace	1006 ks	Schmid-M kolékové tlačítko ON-OFF-ON bez aretace 18,7x13mm 1P
SMFC1-104C	83 ks	
SMFC1-301WCA	100 ks	spínač
SMFC3-102WC	98 ks	
SMFC3-301WC	98 ks	
SMFC3-301WD	98 ks	
SMLF-100	72 ks	Schmid-M zaklapávací EMC ferit 25MHz/150Ohm 100MHz/270Ohm
SMLF-150	3 ks	Snap-in Ferrite 25 MHz/30Ohm, 100MHz/125Ohm Cable 15mm
SMLF-35	41 ks	Snap-in Ferrite 25 MHz/80Ohm, 100MHz/200Ohm Cable 3,5mm
SMLF-80	23 ks	Snap-In EMC ferrite 21x9x31mm 25MHz/110Ohm 100MHz/180Ohm
SMLF-90	46 ks	Snap-in Ferrite 25 MHz/150Ohm, 100MHz/270Ohm Cable 9,0mm
SM-SMTS-202-2C4	1750 ks	přepínač ON-OFF-ON 2x 3A/ 125V 90° s uzemněním
SMTBS160808A601	60000 ks	Schmid-M Choke SMD SPQ: 4000pcs/reel
SMTS-202-2C3	8500 ks	
SMYG14-471	300 ks	
SN4RM6G250 = B65807N250A48	8400 ks	
SN75176BP	40 ks	
SND 05L	4 ks	AB Chimie čisticí prostředek na DPS balení: 5 L
SND400B	22 ks	čisticí prostředek na DPS, sprej 400 ml se štětečkem
SNI03025-121M	1450 ks	
SPK0810-101K	750 ks	
SPRD0402-2R2	40 ks	
SPRH0703-3R3N	60 ks	Schmid-M shielded inductor 3,3uH 7,3x7,3x3,2mm
SPRH0703A-100M	1000 ks	Schmid-M shielded inductor 7,3x7,3x3,2 10uH 0,072Ohm 1,68A
SPRH0703S-150M	2000 ks	SHIELD INDUC 15uH 1,33A 0,12m Ohm -20 ~ 125° PCB šikmý!!
SPRH0704-331M	810 ks	Schmid-M shielded inductor 7,3x7,3x4,5 330uH 1,86Ohm 0,32A
SPRH103-220M	3000 ks	
SPRH1205-102M	958 ks	Schmid-M shielded inductor 12x12x6 1000uH RDC:1,53 IDC:0,4A
SPRH1207-100M	5000 ks	Schmid-M shielded inductor 12x12x8 10uH RDC:0,022 IDC:6,7A
SPRH1207-220M	4517 ks	Schmid-M shielded inductor 12x12x8 22uH RDC:0,037 IDC:4,7A
SPRH1207-470M	800 ks	Schmid-M shielded inductor 12x12x8mm; 47uH; 3.25A
SPWA 4805 MD-6W	1 ks	Schmid-M DC/DC měnič 6W Uin=48V Uout:+-5V SIL7
SQT-02202	130 ks	
SR5H2.5Ts	920 ks	
SR6H2.5Ts 320 K5B	2 ks	Schmid-M: širokopásmová axiální tlumivka
SRH 3.5x1.5x5.0	175 ks	
SRP18x5x8	120 ks	Schmid-M
SSMB-5214-TGG	107 ks	
SSPK 1306-330	2250 ks	
SSPK0802-3R3M	400 ks	
SSPK0804-221	100 ks	
SSPR1807-101	450 ks	
SSPS1306-330	128 ks	
SSPS1306-470M Schmid-M	138 ks	
SSPS1306-680	9000 ks	Schmid-M Shielded inductor 68uH / 3A SPQ:250/1250ks
SSPU0845-6R8N	3000 ks	Schmid-M Shielded Inductor 6,8uH +-30% IDC4,4A DCR25mOhm
SSRP 0420-1R0; 4.1x4.5x2.1mm; 1uH;	90 ks	74437324010
STC130	75 ks	
STC90	50 ks	
STCH130/AC	200 ks	
STP0302-151K	9000 ks	Power Inductor 150uH RDC:3,4Ohm IDC:0,17A 3,2x2,8x2,3mm
STP0504-101K	1500 ks	Power Inductor 100uH RDC: 0,7Ohm IDC: 0,52A 5,8x5,2x4,80mm
STP0504-101K-A	400 ks	Schmid-M Power Inductor 100uH 0,7A 5,8x5,2x4,5mm
STP0504-820K	930 ks	Inductor SMD 82uH Rdc:0,6Ohm Idc:0,58A 5,8x5,2x4,5mm
STP0705-101K	2000 ks	Power Inductor 100uH RDC: 0,43Ohm IDC: 0,72A 7,8x7,0x5,5mm
SURH 2412 P-6WR3 SCHMID-M	20 ks	DC/DC 6W 4:1 9-36V/12V 6KVDC
SVR99-400	20 ks	silikonový ochranný lak
SVRB 2424 LD-15WR2 SCHMID-M	114 ks	DC/DC Uin:18-36/ Uout:24V/15W, CISPR22/EN55022 CLASS A
SVRB 2424 LD-30WR2	114 ks	DC/DC Schmid-M Uin=18-36V/Out=24V 30W
SWI1210C1R5J	100 ks	Tlumivka 1,5uH 10% SMD 1210
SWI252018-2R7J	1500 ks	Schmid-M Wire Wound Inductor 2,7uH 1008 Idc 0,19A
SWI252018-3R3J	1500 ks	Schmid-M Wire Wound Inductor 3,3uH 1008 Idc 0,185A
SWI453232-100J	500 ks	W/W Inductor 10uH Q:50 SRF20MHz RDC1,6Ohm IDC250mA
SWI453232-561	500 ks	W/W Inductor 560uH Q:30 SRF3,0MHz RDC30Ohm IDC50mA
SWI453232-5R6J	1500 ks	W/W Inductor 5,6uH Q:50 SRF33MHz RDC1,1Ohm IDC300mA
SWI453232-6R8K	500 ks	W/W Inductor 6,8uH Q:50 SRF27MHz RDC1,2Ohm IDC285mA
SWRA 1215 LT-3W	50 ks	
SWRB 2405 LT-3W SMD SCHMID-M	6 ks	DC/DC converter, Uin: 18-36V/ Uout:5V/ 3W/ 1500V/ SMD
SYFD 300-48S12	3 ks	Schmid-M DC/DC měnič 300W; Uin=36-72Vdc Uout:12Vdc; 25A
T_adaptér N/f-m-f	10 ks	
T157-26	40 ks	
T36*23*10 (H5K)	1936 ks	Toroid black coating
T36x23x15 Core,H6K	2480 ks	
T60405-R6161-X016	18887 ks	
T60405-R6161-X504	3276 ks	
Tantalum Capacitors CA45 SMD 10uF 35V 10%	2000 ks	
TDL195 (19Zero-bezel Desk Top Touch Monitor)	1 ks	
TE-300	3916 ks	Reproduktor PIEZO
TER-N-50JR-5W	2 ks	Schmid-M 50 Ohm, 0-8GHz, 5W
TER-SMA-50JR-2W	2 ks	Schmid-M 50 Ohm, 0-18GHz, 2W
TES1-03112-T100-SS-TF00-AIO not metallized	7 ks	
Tflex 2200V0	1 ks	15x15mm, t=5mm, BOTH sides adhesive
Tflex 3160TG 25x170mm t=4,0mm	14 ks	Laird Gap filler 1,2W/mK 10PSI 27Shore00 -45+160°C 10KVAC
Tflex 3200, DC1	1 ks	15x15mm, t=5mm, dry coated one side

Tflex 340, 9x9in, 1 mm	19 ks	A15324-01
Tflex HR4200, DC1	1 ks	15x15mm, t=5mm, dry coated one side
Tgard K52, 1, 0505, A1, 11'x18'	1 ks	
TL21-003-473A	10120 ks	
TL21-005-153A	2530 ks	tlumivka 2x15mH, 0.5A
TL431BIDR	320 ks	
TLC2262CP	20 ks	
TLP124	150 ks	
TMA0505S	345 ks	
TMA2415S	20 ks	Traco: DC/DC Uin: 24V Uout: 15V 1W
TME2405S	85 ks	Traco: DC/DC Uin: 24V Uout: 5V 1w
TMT 30112C	1 ks	
TNC-1205-DGN	1000 ks	
TNC-1207-TGN	395 ks	
TNC-1271-TGN (stejně jako -TGG / TNC-1272-TGN)	112 ks	Schmid-M TNC connector bulkhead Jack for RG 405/U
TNC-5201-TGN	200 ks	
TNC-KYWHD3	20 ks	
TNP10H0.05J	100 ks	
Toroid 12-20-5.6 mm	3960 ks	
T-pli 220, A0; 8x8in, A10080-01	3 ks	
T-putty 504 10cc	19 ks	
TS 3635B-180AH ON REEL WHITE	6126 ks	ekvivalent k TL3330AF
TS 3635B-180AH sypané	670 ks	
TSI-4/4, yellow	1000 ks	telefonní zdířka
TSI-4/9, white	1000 ks	Telefonní zdířka
TSP090-124 Země původu: Čína, 85044030	8 ks	AC/DC modul 90W 85-264VAC/+24VDC/3,75A DIN
TSP180-124	7 ks	AC/DC modul 180W 85-264VAC/+24VDC/7,5A DIN
TVEM05-E031BR-R	325500 ks	Tact Switch 6.2x6.2x3.1 180gf w/earth red knob SPQ:1500pcs
TYS4018101M-10	3000 ks	Laird Power Inductor 100uH Rdc1,75Ohm Irms0,25A, 4x4x1.8mm
TYS5040100M-10	1500 ks	Laird, stíněná tlumivka, 10uH Irms:2,1A, 5x5x4mm, SPQ:1500ks
TYS6028470M-10	2000 ks	Laird stíněná tlumivka 47uH/1.15A,6x6x2.8, RDC 0,315
TYS6045331M-10	1500 ks	Laird stíněná tlumivka 330uH Irms:0,57A 6x6x4,5mm,SPQ:1500ks
UU 9.8-333 Patron = PMCU-5330	10000 ks	Common Mode choke 33mH 200mA 4,95Ohm UU9,8 -40+85 C
V1-0505SH	3 ks	
V1-0505SS	5 ks	
V1-0505SS07	20 ks	
V1-0505SSH	14 ks	
V1-0515SSH6	51 ks	
V1-1205SS	53 ks	SCHMID-M DC/DC 12V/5V 1W 1,5KVDC SIL7
V1-2415SSHU	3 ks	
V3-0505 SS SCHMID-M	4 ks	DC/DC 5V/5V 2W 1KVDC SIL7 -40+85°C = nově S3-0505 SS
Varicon ZVX 2 S 0805 400 N R1	4000 ks	
VLCF4020T-2R2N1R7	7000 ks	only TDK, SMD
W10M MIC WOM	1000 ks	
W3F11A4718AT1A	2900 ks	filtr EMI 1206, SMD, 470pF, 300mA, 100V
WBC1-1TLC	400 ks	
WFI-3225-2R2K	3000 ks	inductor 2.2uH, SMD
Wire glue (obsah 9 ml)	1 ks	



